Slope Conversion Charts



Course Handicap Conversion Tables

Overview

The following pages contain Course Handicap Conversion Tables, which are used to convert your Handicap Factor to a Course Handicap for the course and tees you are playing.

The Slope Rating defines a course's degree of difficulty for the average golfer and is what makes your handicap "portable." The higher the Slope, the more difficult the average golfer will find the course, and thus the higher his or her Course Handicap will be.

The tables are in order by Slope Rating and are easy to use:

- 1) Find the table with the Slope Rating for the course you are playing;
- 2) Find the range containing your Handicap Factor;
- 3) Look in the right column for your corresponding Course Handicap.

Example – How Slope Affects Your Course Handicap

When you play a course with a higher Slope, you will have a higher Course Handicap than you do on a course with a lower Slope. A player with a 12.1 Handicap Factor would play with a Course Handicap of 15 on a course with a Slope Rating of 136 and with a 12 on a course with a Slope Rating of 116.

SLOPE 136						
	NDIO		COURSE HANDICAP			
9.6	to	10.3	12			
10.4	to	11.2	13			
11.3	to	12.0	14			
12.1	to	12.8	15			
12.9	to	13.7	16			

SLOPE 116						
l	NDIC CTC		COURSE HANDICAP			
9.3	to	10.2	10			
10.3	to	11.2	11			
11.3	to	12.1	12			
12.2	to	13.1	13			
13.2	to	14.1	14			

SLOPE 55					
	NDI ACT(COURSE HANDICAP		
+3.5	to	+3.1	+2		
+3.0	to	+1.1	+1		
+1.0	to	1.0	0		
1.1	to	3.0	1		
3.1	to	5.1	2		
5.2	to	7.1	3		
7.2	to	9.2	4		
9.3	to	11.2	5		
11.3	to	13.3	6		
13.4	to	15.4	7		
15.5	to	17.4	8		
17.5	to	19.5	9		
19.6	to	21.5	10		
21.6	to	23.6	11		
23.7	to	25.6	12		
25.7	to	27.7	13		
27.8	to	29.7	14		
29.8	to	31.8	15		
31.9	to	33.8	16		
33.9	to	35.9	17		
36.0	to	38.0	18		
38.1	to	40.0	19		
40.1	to	40.4	20		

SLOPE 56						
	NDI ACT(COURSE HANDICAP			
+3.5	to	+3.1	+2			
+3.0	to	+1.1	+1			
+1.0	to	1.0	0			
1.1	to	3.0	1			
3.1	to	5.0	2			
5.1	to	7.0	3			
7.1	to	9.0	4			
9.1	to	11.0	5			
11.1	to	13.1	6			
13.2	to	15.1	7			
15.2	to	17.1	8			
17.2	to	19.1	9			
19.2	to	21.1	10			
21.2	to	23.2	11			
23.3	to	25.2	12			
25.3	to	27.2	13			
27.3	to	29.2	14			
29.3	to	31.2	15			
31.3	to	33.2	16			
33.3 35.4	to	35.3	17 18			
35. 4 37.4	to	37.3 39.3	19			
37. 4 39.4	to to	39.3 40.4	20			
39.4	ιο	40.4	20			

SLOPE 57						
	NDI ACT		COURSE			
			HANDICAP			
+3.5	to to	+3.0 +1.0	+2 +1			
+2.9 +0.9	to	0.9	0			
1.0	to	2.9	1			
3.0	to	4.9	2			
5.0	to	6.9	3			
7.0	to	8.9	4			
9.0	to	10.9	5			
11.0	to	12.8	6			
12.9	to	14.8	7			
14.9	to	16.8	8			
16.9	to	18.8	9			
18.9	to	20.8	10			
20.9	to	22.7	11			
22.8	to	24.7	12			
24.8	to	26.7	13			
26.8	to	28.7	14 15			
28.8 30.8	to to	30.7 32.7	15 16			
32.8	to	34.6	17			
34.7	to	36.6	18			
36.7	to	38.6	19			
38.7	to	40.4	20			

		SLOPE	58
	NDI ACT(COURSE HANDICAP
+3.5	to	+3.0	+2
+2.9	to	+1.0	+1
+0.9	to	0.9	0
1.0	to	2.9	1
3.0	to	4.8	2
4.9	to	6.8	3
6.9	to	8.7	4
8.8	to	10.7	5
10.8	to	12.6	6
12.7	to	14.6	7
14.7	to	16.5	8
16.6	to	18.5	9
18.6	to	20.4	10
20.5	to	22.4	11
22.5	to	24.3	12
24.4	to	26.3	13
26.4	to	28.2	14
28.3	to	30.1	15
30.2	to	32.1	16
32.2	to	34.0	17
34.1	to	36.0	18
36.1	to	37.9	19
38.0	to	39.9	20
40.0	to	40.4	21

SLOPE 59					
	NDI ACT		COURSE HANDICAP		
+3.5	to	+2.9	+2		
+2.8	to	+1.0	+1		
+0.9	to	0.9	0		
1.0	to	2.8	1		
2.9	to	4.7	2		
4.8	to	6.7	3		
6.8	to	8.6	4		
8.7	to	10.5	5		
10.6	to	12.4	6		
12.5	to	14.3	7		
14.4	to	16.2	8		
16.3	to	18.1	9		
18.2	to	20.1	10		
20.2	to	22.0	11		
22.1	to	23.9	12		
24.0	to	25.8	13		
25.9	to	27.7	14		
27.8	to	29.6	15		
29.7	to	31.6	16		
31.7	to	33.5	17		
33.6	to	35.4	18		
35.5	to	37.3	19		
37.4	to	39.2	20		
39.3	to	40.4	21		

SLOPE 60						
	NDI ACT(COURSE HANDICAP			
+3.5	to	+2.9	+2			
+2.8	to	+1.0	+1			
+0.9	to	0.9	0			
1.0	to	2.8	1			
2.9	to	4.7	2			
4.8	to	6.5	3			
6.6	to	8.4	4			
8.5	to	10.3	5			
10.4	to	12.2	6			
12.3	to	14.1	7			
14.2	to	16.0	8			
16.1	to	17.8	9			
17.9	to	19.7	10			
19.8	to	21.6	11			
21.7	to	23.5	12			
23.6	to	25.4	13			
25.5	to	27.3	14			
27.4	to	29.1	15			
29.2	to	31.0	16			
31.1	to	32.9	17			
33.0	to	34.8	18			
34.9	to	36.7	19			
36.8	to	38.6	20			
38.7	to	40.4	21			

SLOPE 61						
	NDI ACT(CAP	COURSE HANDICAP			
+3.5	to	+2.8	+2			
+2.7	to	+1.0	+1			
+0.9	to	0.9	0			
1.0	to	2.7	1			
2.8	to	4.6	2			
4.7	to	6.4	3			
6.5	to	8.3	4			
8.4	to	10.1	5			
10.2	to	12.0	6			
12.1	to	13.8	7			
13.9	to	15.7	8			
15.8	to	17.5	9			
17.6	to	19.4	10			
19.5	to	21.3	11			
21.4	to	23.1	12			
23.2	to	25.0	13			
25.1	to	26.8	14			
26.9	to	28.7	15			
28.8	to	30.5	16			
30.6	to	32.4	17			
32.5	to	34.2	18			
34.3	to	36.1	19			
36.2	to	37.9	20			
38.0	to	39.8	21			
39.9	to	40.4	22			

+3.5 +2.7 +0.9 1.0 2.8 4.6 6.4 8.3 10.1	to to to to to to to to to		+2 +1 0 1 2 3
+2.7 +0.9 1.0 2.8 4.6 6.4 8.3 10.1	to to to to to	+1.0 0.9 2.7 4.5 6.3	+1 0 1 2
+0.9 1.0 2.8 4.6 6.4 8.3 10.1	to to to to	0.9 2.7 4.5 6.3	0 1 2
1.0 2.8 4.6 6.4 8.3 10.1	to to to	2.7 4.5 6.3	1 2
2.8 4.6 6.4 8.3 10.1	to to to	4.5 6.3	2
4.6 6.4 8.3 10.1	to to	6.3	
6.4 8.3 10.1	to		3
8.3 10.1		QЭ	
10.1	to		4
		10.0	5
	to	11.8	6
11.9	to	13.6	7
13.7	to	15.4	8
15.5	to	17.3	9
17.4	to	19.1	10
	to		11
	to		12
	to		13
	to		14
	to		15
	to		16
			17
			18
			19
			20
			21
39.2	to	40.4	22
	17.4 19.2 21.0 22.8 24.7 26.5 28.3 30.1 31.9 33.8 35.6 37.4 39.2	19.2 to 21.0 to 22.8 to 24.7 to 26.5 to 30.1 to 31.9 to 35.6 to 37.4 to	19.2 to 20.9 21.0 to 22.7 22.8 to 24.6 24.7 to 26.4 26.5 to 28.2 28.3 to 30.0 30.1 to 31.8 31.9 to 33.7 33.8 to 35.5 35.6 to 37.3 37.4 to 39.1

SLOPE 63						
	ANDI ACT	CAP OR	COURSE HANDICAP			
+3.5	to	+2.7	+2			
+2.6	to	+0.9	+1			
+0.8	to	8.0	0			
0.9	to	2.6	1			
2.7	to	4.4	2			
4.5	to	6.2	3			
6.3	to	8.0	4			
8.1	to	9.8	5			
9.9	to	11.6	6			
11.7	to	13.4	7			
13.5	to	15.2	8			
15.3	to	17.0	9			
17.1	to	18.8	10			
18.9	to	20.6	11			
20.7	to	22.4	12			
22.5	to	24.2	13			
24.3	to	26.0	14			
26.1	to	27.8	15			
27.9	to	29.5	16			
29.6	to	31.3	17			
31.4	to	33.1	18			
33.2	to	34.9	19			
35.0	to	36.7	20			
36.8	to	38.5	21			
38.6	to	40.3	22			
40.4	to	40.4	23			

SLOPE 64						
	NDI ACT(CAP OR	COURSE HANDICAP			
+3.5	to	+2.7	+2			
+2.6	to	+0.9	+1			
+0.8	to	8.0	0			
0.9	to	2.6	1			
2.7	to	4.4	2			
4.5	to	6.1	3			
6.2	to	7.9	4			
8.0	to	9.7	5			
9.8	to	11.4	6			
11.5	to	13.2	7			
13.3	to	15.0	8			
15.1	to	16.7	9			
16.8	to	18.5	10			
18.6	to	20.3	11			
20.4	to	22.0	12			
22.1	to	23.8	13			
23.9	to	25.6	14			
25.7	to	27.3	15			
27.4	to	29.1	16			
29.2	to	30.8	17			
30.9	to	32.6	18			
32.7	to	34.4	19			
34.5	to	36.1	20			
36.2	to	37.9	21			
38.0	to	39.7	22			
39.8	to	40.4	23			

	SLOPE 65					
	ANDI ACT	CAP OR	COURSE HANDICAP			
+3.5	to	+2.7	+2			
+2.6	to	+0.9	+1			
+0.8	to	0.8	0			
0.9	to	2.6	1			
2.7	to	4.3	2			
4.4	to	6.0	3			
6.1	to	7.8	4			
7.9	to	9.5	5			
9.6	to	11.2	6			
11.3	to	13.0	7			
13.1	to	14.7	8			
14.8	to	16.5	9			
16.6	to	18.2	10			
18.3	to	19.9	11			
20.0	to	21.7	12			
21.8	to	23.4	13			
23.5	to	25.2	14			
25.3	to	26.9	15			
27.0	to	28.6	16			
28.7	to	30.4	17			
30.5	to	32.1	18			
32.2	to	33.8 35.6	19			
33.9	to		20			
35.7	to	37.3	21 22			
37.4 39.2	to	39.1 40.4	23			
39.2	to	40.4	23			

HANDICA FACTOR +3.5 to + +2.5 to + +0.8 to 0.9 to 2.6 to 4.3 to 6.0 to 7.8 to 9.5 to 1 11.2 to 1 12.9 to 1 14.6 to 1 16.3 to 1 18.0 to 1 19.7 to 2 21.5 to 2 23.2 to 2	-2.6 -0.9 0.8 2.5 4.2 5.9 7.7 9.4 11.1 12.8 14.5 16.2	+2 +1 0 1 2 3 4 5 6 7 8 9
+2.5 to + +0.8 to 0.9 to 2.6 to 4.3 to 6.0 to 7.8 to 9.5 to 1 11.2 to 1 12.9 to 1 14.6 to 1 16.3 to 1 18.0 to 1 19.7 to 2 23.2 to 2	-0.9 0.8 2.5 4.2 5.9 7.7 9.4 11.1 12.8 14.5 16.2 17.9	+1 0 1 2 3 4 5 6 7 8
+0.8 to 0.9 to 2.6 to 4.3 to 6.0 to 7.8 to 9.5 to 1 11.2 to 1 12.9 to 1 14.6 to 1 16.3 to 1 18.0 to 1 19.7 to 2 21.5 to 2 23.2 to 2	0.8 2.5 4.2 5.9 7.7 9.4 11.1 2.8 4.5 16.2	0 1 2 3 4 5 6 7 8
0.9 to 2.6 to 4.3 to 6.0 to 7.8 to 9.5 to 1 11.2 to 1 12.9 to 1 14.6 to 1 16.3 to 1 18.0 to 1 19.7 to 2 21.5 to 2 23.2 to 2	2.5 4.2 5.9 7.7 9.4 11.1 12.8 14.5 16.2	1 2 3 4 5 6 7 8 9
2.6 to 4.3 to 6.0 to 7.8 to 9.5 to 1 11.2 to 1 12.9 to 1 14.6 to 1 16.3 to 1 18.0 to 1 19.7 to 2 21.5 to 2 23.2 to 2	4.2 5.9 7.7 9.4 11.1 12.8 14.5 16.2 17.9	2 3 4 5 6 7 8
4.3 to 6.0 to 7.8 to 9.5 to 1 11.2 to 1 12.9 to 1 14.6 to 1 16.3 to 1 18.0 to 1 19.7 to 2 21.5 to 2 23.2 to 2	5.9 7.7 9.4 11.1 2.8 14.5 16.2 17.9	3 4 5 6 7 8 9
6.0 to 7.8 to 9.5 to 1 11.2 to 1 12.9 to 1 14.6 to 1 16.3 to 1 18.0 to 1 19.7 to 2 21.5 to 2 23.2 to 2	7.7 9.4 11.1 12.8 14.5 16.2 17.9	4 5 6 7 8 9
7.8 to 9.5 to 1 11.2 to 1 12.9 to 1 14.6 to 1 16.3 to 1 18.0 to 1 19.7 to 2 21.5 to 2 23.2 to 2	9.4 1.1 2.8 4.5 6.2 7.9	5 6 7 8 9
9.5 to 1 11.2 to 1 12.9 to 1 14.6 to 1 16.3 to 1 18.0 to 1 19.7 to 2 21.5 to 2 23.2 to 2	1.1 2.8 4.5 6.2 7.9	6 7 8 9
11.2 to 1 12.9 to 1 14.6 to 1 16.3 to 1 18.0 to 1 19.7 to 2 21.5 to 2 23.2 to 2	2.8 4.5 6.2 7.9	7 8 9
12.9 to 1 14.6 to 1 16.3 to 1 18.0 to 1 19.7 to 2 21.5 to 2 23.2 to 2	4.5 6.2 7.9	8 9
14.6 to 1 16.3 to 1 18.0 to 1 19.7 to 2 21.5 to 2 23.2 to 2	16.2 17.9	9
16.3 to 1 18.0 to 1 19.7 to 2 21.5 to 2 23.2 to 2	17.9	
18.0 to 1 19.7 to 2 21.5 to 2 23.2 to 2		10
19.7 to 2 21.5 to 2 23.2 to 2	106	
21.5 to 2 23.2 to 2	19.6	11
23.2 to 2	21.4	12
	23.1	13
210 +- 2	24.8	14
	26.5	15
	28.2	16
	29.9	17
	31.6	18
	33.3	19
	35.0	20
	36.8	21
	38.5	22
	10.2	23
40.3 to 4	10.4	24

		SLOF	PE 67
	AND ACT	OR	COURSE HANDICAP
+3.5	to	+2.6	+2
+2.5	to	+0.9	+1
+0.8	to	0.8	0
0.9	to	2.5	1
2.6	to	4.2	2
4.3	to	5.9	3
6.0	to	7.5	4
7.6	to	9.2	5
9.3	to	10.9	6
11.0	to	12.6	7
12.7	to	14.3	8
14.4	to	16.0	9
16.1	to	17.7	10
17.8	to	19.3	11
19.4	to	21.0	12
21.1	to	22.7	13
22.8	to	24.4	14
24.5	to	26.1	15
26.2	to	27.8	16
27.9	to	29.5	17
29.6	to	31.2	18
31.3	to	32.8	19
32.9	to	34.5	20
34.6	to	36.2	21
36.3	to	37.9	22
38.0	to	39.6	23
39.7	to	40.4	24

		SLOPI	E 68
	ANDI ACT	CAP OR	COURSE HANDICAP
+3.5	to	+2.5	+2
+2.4	to	+0.9	+1
+0.8	to	8.0	0
0.9	to	2.4	1
2.5	to	4.1	2
4.2	to	5.8	3
5.9	to	7.4	4
7.5	to	9.1	5
9.2	to	10.8	6
10.9	to	12.4	7
12.5	to	14.1	8
14.2	to	15.7	9
15.8	to	17.4	10
17.5	to	19.1	11
19.2	to	20.7	12
20.8	to	22.4	13
22.5	to	24.0	14
24.1	to	25.7	15
25.8	to	27.4	16
27.5	to	29.0	17
29.1	to	30.7	18
30.8	to	32.4	19
32.5	to	34.0	20
34.1	to	35.7	21
35.8	to	37.3	22
37.4	to	39.0	23
39.1	to	40.4	24

HANDICAP FACTOR COURSE HANDICA +3.5 to +2.5	
+2.4 to +0.9 +1 +0.8 to 0.8 0 0.9 to 2.4 1 2.5 to 4.0 2 4.1 to 5.7 3 5.8 to 7.3 4 7.4 to 9.0 5 9.1 to 10.6 6 10.7 to 12.2 7 12.3 to 13.9 8 14.0 to 15.5 9 15.6 to 17.1 10 17.2 to 18.8 11 18.9 to 20.4 12 20.5 to 22.1 13 22.2 to 23.7 14 23.8 to 25.3 15 25.4 to 27.0 16 27.1 to 28.6 17 28.7 to 30.2 18 30.3 to 31.9 19 32.0 to 33.5	
+0.8 to 0.8 0.9 to 2.4 2.5 to 4.0 2 4.1 to 5.7 3.5.8 to 7.3 7.4 to 9.0 9.1 to 10.6 10.7 to 12.2 7 12.3 to 13.9 14.0 to 15.5 9 15.6 to 17.1 17.2 to 18.8 11 18.9 to 20.4 20.5 to 22.1 23.8 to 25.3 25.4 to 27.0 27.1 to 28.6 27.1 to 28.6 27.1 to 28.6 27.1 to 28.6 33.6 to 35.2 33.6 to 35.2 35.3 to 36.8	
0.9 to 2.4 1 2.5 to 4.0 2 4.1 to 5.7 3 5.8 to 7.3 4 7.4 to 9.0 5 9.1 to 10.6 6 10.7 to 12.2 7 12.3 to 13.9 8 14.0 to 15.5 9 15.6 to 17.1 10 17.2 to 18.8 11 18.9 to 20.4 12 20.5 to 22.1 13 22.2 to 23.7 14 23.8 to 25.3 15 25.4 to 27.0 16 27.1 to 28.6 17 28.7 to 30.2 18 30.3 to 31.9 19 32.0 to 33.5 20 33.6 to 35.2 21 35.3 to 36	
2.5 to 4.0 4.1 to 5.7 5.8 to 7.3 7.4 to 9.0 9.1 to 10.6 10.7 to 12.2 7 12.3 to 13.9 14.0 to 15.5 9 15.6 to 17.1 17.2 to 18.8 18.9 to 20.4 20.5 to 22.1 22.2 to 23.7 23.8 to 25.3 25.4 to 27.0 27.1 to 28.6 17 28.7 to 30.2 30.3 to 31.9 32.0 to 33.5 33.6 to 35.2 31.5 22.2 32.2 33.6 to 35.2 31.5 32.6 33.6 35.7 36.8	
4.1 to 5.7 3 5.8 to 7.3 4 7.4 to 9.0 5 9.1 to 10.6 6 10.7 to 12.2 7 12.3 to 13.9 8 14.0 to 15.5 9 15.6 to 17.1 10 17.2 to 18.8 11 18.9 to 20.4 12 20.5 to 22.1 13 22.2 to 23.7 14 23.8 to 25.3 15 25.4 to 27.0 16 27.1 to 28.6 17 28.7 to 30.2 18 30.3 to 31.9 19 32.0 to 33.5 20 33.6 to 35.2 21 35.3 to 36.8 22	
5.8 to 7.3 4 7.4 to 9.0 5 9.1 to 10.6 6 10.7 to 12.2 7 12.3 to 13.9 8 14.0 to 15.5 9 15.6 to 17.1 10 17.2 to 18.8 11 18.9 to 20.4 12 20.5 to 22.1 13 22.2 to 23.7 14 23.8 to 25.3 15 25.4 to 27.0 16 27.1 to 28.6 17 28.7 to 30.2 18 30.3 to 31.9 19 32.0 to 33.5 20 33.6 to 35.2 21 35.3 to 36.8 22	
7.4 to 9.0 5 9.1 to 10.6 6 10.7 to 12.2 7 12.3 to 13.9 8 14.0 to 15.5 9 15.6 to 17.1 10 17.2 to 18.8 11 18.9 to 20.4 12 20.5 to 22.1 13 22.2 to 23.7 14 23.8 to 25.3 15 25.4 to 27.0 16 27.1 to 28.6 17 28.7 to 30.2 18 30.3 to 31.9 19 32.0 to 33.5 20 33.6 to 35.2 21 35.3 to 36.8	
9.1 to 10.6 10.7 to 12.2 7 12.3 to 13.9 8 14.0 to 15.5 9 15.6 to 17.1 10 17.2 to 18.8 11 18.9 to 20.4 20.5 to 22.1 22.2 to 23.7 23.8 to 25.3 25.4 to 27.0 27.1 to 28.6 27.1 to 28.6 27.1 to 28.6 30.3 to 31.9 32.0 to 33.5 33.6 to 35.2 35.3 to 36.8	
10.7 to 12.2 7 12.3 to 13.9 8 14.0 to 15.5 9 15.6 to 17.1 10 17.2 to 18.8 11 18.9 to 20.4 12 20.5 to 22.1 13 22.2 to 23.7 14 23.8 to 25.3 15 25.4 to 27.0 16 27.1 to 28.6 17 28.7 to 30.2 18 30.3 to 31.9 19 32.0 to 33.5 20 33.6 to 35.2 21 35.3 to 36.8 22	
12.3 to 13.9 8 14.0 to 15.5 9 15.6 to 17.1 10 17.2 to 18.8 11 18.9 to 20.4 12 20.5 to 22.1 13 22.2 to 23.7 14 23.8 to 25.3 15 25.4 to 27.0 16 27.1 to 28.6 17 28.7 to 30.2 18 30.3 to 31.9 19 32.0 to 33.5 20 33.6 to 35.2 21 35.3 to 36.8	
14.0 to 15.5 9 15.6 to 17.1 10 17.2 to 18.8 11 18.9 to 20.4 12 20.5 to 22.1 13 22.2 to 23.7 14 23.8 to 25.3 15 25.4 to 27.0 16 27.1 to 28.6 17 28.7 to 30.2 18 30.3 to 31.9 19 32.0 to 33.5 20 33.6 to 35.2 21 35.3 to 36.8 22	
15.6 to 17.1 10 17.2 to 18.8 11 18.9 to 20.4 12 20.5 to 22.1 13 22.2 to 23.7 14 23.8 to 25.3 15 25.4 to 27.0 16 27.1 to 28.6 17 28.7 to 30.2 18 30.3 to 31.9 19 32.0 to 33.5 20 33.6 to 35.2 21 35.3 to 36.8 22	
17.2 to 18.8 11 18.9 to 20.4 12 20.5 to 22.1 13 22.2 to 23.7 14 23.8 to 25.3 15 25.4 to 27.0 16 27.1 to 28.6 17 28.7 to 30.2 18 30.3 to 31.9 19 32.0 to 33.5 20 33.6 to 35.2 21 35.3 to 36.8 22	
18.9 to 20.4 12 20.5 to 22.1 13 22.2 to 23.7 14 23.8 to 25.3 15 25.4 to 27.0 16 27.1 to 28.6 17 28.7 to 30.2 18 30.3 to 31.9 19 32.0 to 33.5 20 33.6 to 35.2 21 35.3 to 36.8 22	
20.5 to 22.1 13 22.2 to 23.7 14 23.8 to 25.3 15 25.4 to 27.0 16 27.1 to 28.6 17 28.7 to 30.2 18 30.3 to 31.9 19 32.0 to 33.5 20 33.6 to 35.2 21 35.3 to 36.8 22	
22.2 to 23.7 14 23.8 to 25.3 15 25.4 to 27.0 16 27.1 to 28.6 17 28.7 to 30.2 18 30.3 to 31.9 19 32.0 to 33.5 20 33.6 to 35.2 21 35.3 to 36.8 22	
23.8 to 25.3 15 25.4 to 27.0 16 27.1 to 28.6 17 28.7 to 30.2 18 30.3 to 31.9 19 32.0 to 33.5 20 33.6 to 35.2 21 35.3 to 36.8 22	
25.4 to 27.0 16 27.1 to 28.6 17 28.7 to 30.2 18 30.3 to 31.9 19 32.0 to 33.5 20 33.6 to 35.2 21 35.3 to 36.8 22	
27.1 to 28.6 17 28.7 to 30.2 18 30.3 to 31.9 19 32.0 to 33.5 20 33.6 to 35.2 21 35.3 to 36.8 22	
28.7 to 30.2 18 30.3 to 31.9 19 32.0 to 33.5 20 33.6 to 35.2 21 35.3 to 36.8 22	
30.3 to 31.9 19 32.0 to 33.5 20 33.6 to 35.2 21 35.3 to 36.8 22	
32.0 to 33.5 20 33.6 to 35.2 21 35.3 to 36.8 22	
33.6 to 35.2 21 35.3 to 36.8 22	
35.3 to 36.8 22	
36.9 to 38.4	
38.5 to 40.1 24	
40.2 to 40.4 25	

HANDICAP FACTOR COURSE HANDICAP +3.5 to +2.5 +2 +2.4 to +0.9 +1 +0.8 to 0.8 0 0.9 to 2.4 1 2.5 to 4.0 2 4.1 to 5.6 3 5.7 to 7.2 4 7.3 to 8.8 5 8.9 to 10.4 6 10.5 to 12.1 7 12.2 to 13.7 8 13.8 to 15.3 9 15.4 to 16.9 10 17.0 to 18.5 11 18.6 to 20.1 12 20.2 to 21.7 13 21.8 to 23.4 14 23.5 to 25.0 15 25.1 to 26.6 16 26.7 to 28.2 17 28.3 to 29.8 18 29.9 to 31.4 19 31.5 to 33.0 20			SLOPE	70
+2.4 to +0.9 +0.8 to 0.8 0.9 to 2.4 2.5 to 4.0 2.4.1 to 5.6 3.5.7 to 7.2 7.3 to 8.8 8.9 to 10.4 10.5 to 12.1 7 12.2 to 13.7 13.8 to 15.3 15.4 to 16.9 17.0 to 18.5 11 18.6 to 20.1 20.2 to 21.7 21.8 to 23.4 23.5 to 25.0 25.1 to 26.6 26.7 to 28.2 27.3 28.3 to 29.8 29.9 to 31.4 31.5 to 33.0 33.1 to 34.7 34.8 to 36.3 36.4 to 37.9 38.0 to 39.5				
+0.8 to 0.8 0.9 to 2.4 1 2.5 to 4.0 2 4.1 to 5.6 3 5.7 to 7.2 4 7.3 to 8.8 5 8.9 to 10.4 10.5 to 12.1 7 12.2 to 13.7 13.8 to 15.3 15.4 to 16.9 17.0 to 18.5 11 18.6 to 20.1 12 20.2 to 21.7 21.8 to 23.4 23.5 to 25.0 25.1 to 26.6 26.7 to 28.2 27 28.3 to 29.8 29.9 to 31.4 31.5 to 33.0 33.1 to 34.7 34.8 to 36.3 36.4 to 37.9 38.0 to 39.5	+3.5	to	+2.5	+2
0.9 to 2.4 1 2.5 to 4.0 2 4.1 to 5.6 3 5.7 to 7.2 4 7.3 to 8.8 5 8.9 to 10.4 6 10.5 to 12.1 7 12.2 to 13.7 8 13.8 to 15.3 9 15.4 to 16.9 10 17.0 to 18.5 11 18.6 to 20.1 12 20.2 to 21.7 13 21.8 to 23.4 14 23.5 to 25.0 15 25.1 to 26.6 16 26.7 to 28.2 17 28.3 to 29.8 18 29.9 to 31.4 19 31.5 to 34.7 21 34.8 to 36.3 22 36.4 to 37	+2.4	to	+0.9	+1
2.5 to 4.0 2 4.1 to 5.6 3 5.7 to 7.2 4 7.3 to 8.8 5 8.9 to 10.4 6 10.5 to 12.1 7 12.2 to 13.7 8 13.8 to 15.3 9 15.4 to 16.9 10 17.0 to 18.5 11 18.6 to 20.1 12 20.2 to 21.7 13 21.8 to 23.4 14 23.5 to 25.0 15 25.1 to 26.6 16 26.7 to 28.2 17 28.3 to 29.8 18 29.9 to 31.4 19 31.5 to 33.0 20 33.1 to 34.7 21 34.8 to 36.3 22 36.4 to 37.9 23 38.0 to 39.5		to		0
4.1 to 5.6 3 5.7 to 7.2 4 7.3 to 8.8 5 8.9 to 10.4 6 10.5 to 12.1 7 12.2 to 13.7 8 13.8 to 15.3 9 15.4 to 16.9 10 17.0 to 18.5 11 18.6 to 20.1 12 20.2 to 21.7 13 21.8 to 23.4 14 23.5 to 25.0 15 25.1 to 26.6 16 26.7 to 28.2 17 28.3 to 29.8 18 29.9 to 31.4 19 31.5 to 33.0 20 33.1 to 34.7 21 34.8 to 36.3 22 36.4 to 37.9 23 38.0 to		to		=
5.7 to 7.2 4 7.3 to 8.8 5 8.9 to 10.4 6 10.5 to 12.1 7 12.2 to 13.7 8 13.8 to 15.3 9 15.4 to 16.9 10 17.0 to 18.5 11 18.6 to 20.1 12 20.2 to 21.7 13 21.8 to 23.4 14 23.5 to 25.0 15 25.1 to 26.6 16 26.7 to 28.2 17 28.3 to 29.8 18 29.9 to 31.4 19 31.5 to 33.0 20 33.1 to 34.7 21 34.8 to 36.3 22 36.4 to 37.9 23 38.0 to 39.5 24		to	4.0	
7.3 to 8.8 8.9 to 10.4 6 10.5 to 12.1 7 12.2 to 13.7 8 13.8 to 15.3 9 15.4 to 16.9 10 17.0 to 18.5 11 18.6 to 20.1 20.2 to 21.7 21.8 to 23.4 23.5 to 25.0 25.1 to 26.6 26.7 to 28.2 17 28.3 to 29.8 29.9 to 31.4 19 31.5 to 33.0 33.1 to 34.7 21 34.8 to 36.3 32.2 36.4 to 37.9 23 38.0 to 39.5				
8.9 to 10.4 10.5 to 12.1 7 12.2 to 13.7 8 13.8 to 15.3 9 15.4 to 16.9 10 17.0 to 18.5 11 18.6 to 20.1 20.2 to 21.7 21.8 to 23.4 23.5 to 25.0 25.1 to 26.6 26.7 to 28.2 27 28.3 to 29.8 29.9 to 31.4 31.5 to 33.0 33.1 to 34.7 34.8 to 36.3 36.4 to 37.9 38.0 to 39.5				
10.5 to 12.1 7 12.2 to 13.7 8 13.8 to 15.3 9 15.4 to 16.9 10 17.0 to 18.5 11 18.6 to 20.1 12 20.2 to 21.7 13 21.8 to 23.4 14 23.5 to 25.0 15 25.1 to 26.6 16 26.7 to 28.2 17 28.3 to 29.8 18 29.9 to 31.4 19 31.5 to 33.0 20 33.1 to 34.7 21 34.8 to 36.3 22 36.4 to 37.9 23 38.0 to 39.5 24				
12.2 to 13.7 8 13.8 to 15.3 9 15.4 to 16.9 10 17.0 to 18.5 11 18.6 to 20.1 12 20.2 to 21.7 13 21.8 to 23.4 14 23.5 to 25.0 15 25.1 to 26.6 16 26.7 to 28.2 17 28.3 to 29.8 18 29.9 to 31.4 19 31.5 to 33.0 20 33.1 to 34.7 21 34.8 to 36.3 22 36.4 to 37.9 23 38.0 to 39.5 24				
13.8 to 15.3 9 15.4 to 16.9 10 17.0 to 18.5 11 18.6 to 20.1 12 20.2 to 21.7 13 21.8 to 23.4 14 23.5 to 25.0 15 25.1 to 26.6 16 26.7 to 28.2 17 28.3 to 29.8 18 29.9 to 31.4 19 31.5 to 33.0 20 33.1 to 34.7 21 34.8 to 36.3 22 36.4 to 37.9 23 38.0 to 39.5 24				
15.4 to 16.9 10 17.0 to 18.5 11 18.6 to 20.1 12 20.2 to 21.7 13 21.8 to 23.4 14 23.5 to 25.0 15 25.1 to 26.6 16 26.7 to 28.2 17 28.3 to 29.8 18 29.9 to 31.4 19 31.5 to 33.0 20 33.1 to 34.7 21 34.8 to 36.3 22 36.4 to 37.9 23 38.0 to 39.5				
17.0 to 18.5 11 18.6 to 20.1 12 20.2 to 21.7 13 21.8 to 23.4 14 23.5 to 25.0 15 25.1 to 26.6 16 26.7 to 28.2 17 28.3 to 29.8 18 29.9 to 31.4 19 31.5 to 33.0 20 33.1 to 34.7 21 34.8 to 36.3 22 36.4 to 37.9 23 38.0 to 39.5				
18.6 to 20.1 12 20.2 to 21.7 13 21.8 to 23.4 14 23.5 to 25.0 15 25.1 to 26.6 16 26.7 to 28.2 17 28.3 to 29.8 18 29.9 to 31.4 19 31.5 to 33.0 20 33.1 to 34.7 21 34.8 to 36.3 22 36.4 to 37.9 23 38.0 to 39.5 24				
20.2 to 21.7 13 21.8 to 23.4 14 23.5 to 25.0 15 25.1 to 26.6 16 26.7 to 28.2 17 28.3 to 29.8 18 29.9 to 31.4 19 31.5 to 33.0 20 33.1 to 34.7 21 34.8 to 36.3 22 36.4 to 37.9 23 38.0 to 39.5 24				
21.8 to 23.4 14 23.5 to 25.0 15 25.1 to 26.6 16 26.7 to 28.2 17 28.3 to 29.8 18 29.9 to 31.4 19 31.5 to 33.0 20 33.1 to 34.7 21 34.8 to 36.3 22 36.4 to 37.9 23 38.0 to 39.5 24				
23.5 to 25.0 15 25.1 to 26.6 16 26.7 to 28.2 17 28.3 to 29.8 18 29.9 to 31.4 19 31.5 to 33.0 20 33.1 to 34.7 21 34.8 to 36.3 22 36.4 to 37.9 23 38.0 to 39.5 24				
25.1 to 26.6 16 26.7 to 28.2 17 28.3 to 29.8 18 29.9 to 31.4 19 31.5 to 33.0 20 33.1 to 34.7 21 34.8 to 36.3 22 36.4 to 37.9 23 38.0 to 39.5 24				
26.7 to 28.2 17 28.3 to 29.8 18 29.9 to 31.4 19 31.5 to 33.0 20 33.1 to 34.7 21 34.8 to 36.3 22 36.4 to 37.9 23 38.0 to 39.5 24				
28.3 to 29.8 18 29.9 to 31.4 19 31.5 to 33.0 20 33.1 to 34.7 21 34.8 to 36.3 22 36.4 to 37.9 23 38.0 to 39.5 24				• •
29.9 to 31.4 19 31.5 to 33.0 20 33.1 to 34.7 21 34.8 to 36.3 22 36.4 to 37.9 23 38.0 to 39.5 24				
31.5 to 33.0 20 33.1 to 34.7 21 34.8 to 36.3 22 36.4 to 37.9 23 38.0 to 39.5 24				
33.1 to 34.7 21 34.8 to 36.3 22 36.4 to 37.9 23 38.0 to 39.5 24				
34.8 to 36.3 22 36.4 to 37.9 23 38.0 to 39.5 24				
36.4 to 37.9 23 38.0 to 39.5 24				
38.0 to 39.5 24				
39.0 10 40.4 23				
	39.0	ιο	40.4	23

		SLOP	E 71
	ANDI ACT(CAP OR	COURSE HANDICAP
+3.5	to	+2.4	+2
+2.3	to	+0.8	+1
+0.7	to	0.7	0
0.8	to	2.3	1
2.4	to	3.9	2
4.0	to	5.5	3
5.6	to	7.1	4
7.2	to	8.7	5
8.8	to	10.3	6
10.4	to	11.9	7
12.0	to	13.5	8
13.6	to	15.1	9
15.2	to	16.7	10
16.8	to	18.3	11
18.4	to	19.8	12
19.9	to	21.4	13
21.5	to	23.0	14
23.1	to	24.6	15
24.7	to	26.2	16
26.3	to	27.8	17
27.9	to	29.4	18
29.5	to	31.0	19
31.1	to	32.6	20
32.7	to	34.2	21
34.3	to	35.8	22
35.9 37.5	to to	37.4	23 24
39.0	to	38.9 40.4	2 4 25
39.0	ιο	40.4	23

		SLOP	E 72
	ACT(COURSE HANDICAP
+3.5	to	+2.4	+2
+2.3	to	+0.8	+1
+0.7	to	0.7	0
8.0	to	2.3	1
2.4	to	3.9	2
4.0	to	5.4	3
5.5	to	7.0	4
7.1	to	8.6	5
8.7	to	10.2	6
10.3	to	11.7	7
11.8	to	13.3	8
13.4	to	14.9	9
15.0	to	16.4	10
16.5	to	18.0	11
18.1	to	19.6	12
19.7	to	21.1	13
21.2	to	22.7	14
22.8	to	24.3	15
24.4	to	25.8	16
25.9	to	27.4	17
27.5	to	29.0	18
29.1	to	30.6	19
30.7	to	32.1	20
32.2	to	33.7	21
33.8	to	35.3	22
35.4	to	36.8	23
36.9	to	38.4	24
38.5	to	40.0	25
40.1	to	40.4	26

		SLOP	E 73
	AND ACT	ICAP OR	COURSE HANDICAP
+3.5	to	+2.4	+2
+2.3	to	+0.8	+1
+0.7	to	0.7	0
0.8	to	2.3	1
2.4	to	3.8	2
3.9	to	5.4	3
5.5	to	6.9	4
7.0	to	8.5	5
8.6	to	10.0	6
10.1	to	11.6	7
11.7	to	13.1	8
13.2	to	14.7	9
14.8	to	16.2	10
16.3	to	17.8	11
17.9	to	19.3	12
19.4	to	20.8	13
20.9	to	22.4	14
22.5	to	23.9	15
24.0	to	25.5	16
25.6	to	27.0	17
27.1	to	28.6	18
28.7	to	30.1	19
30.2	to	31.7	20
31.8	to	33.2	21
33.3	to	34.8	22
34.9	to	36.3	23
36.4	to	37.9	24
38.0	to	39.4	25
39.5	to	40.4	26

	to to to to to to to to to	+2.3 +0.8 0.7 2.2 3.8 5.3	+2 +1 0 1 2
+2.2 +0.7 0.8 2.3 3.9 5.4 6.9 8.4	to to to to to	+0.8 0.7 2.2 3.8 5.3	+1 0 1 2
+0.7 0.8 2.3 3.9 5.4 6.9 8.4	to to to to	0.7 2.2 3.8 5.3	0 1 2
0.8 2.3 3.9 5.4 6.9 8.4	to to to to	2.2 3.8 5.3	1 2
2.3 3.9 5.4 6.9 8.4	to to to	3.8 5.3	2
3.9 5.4 6.9 8.4	to to	5.3	
5.4 6.9 8.4	to		
6.9 8.4			3
8.4	t n	6.8	4
		8.3	5
10.0	to	9.9	6
	to	11.4	7
11.5	to	12.9	8
13.0	to	14.5	9
			10
			11 12
			12
			14
			15
			16
			17
			18
			19
			20
			21
32.9	to	34.3	22
34.4	to	35.8	23
35.9	to	37.4	24
37.5	to	38.9	25
39.0	to	40.4	26
	34.4 35.9 37.5	16.1 to 17.6 to 19.1 to 20.7 to 22.2 to 23.7 to 25.2 to 26.8 to 29.8 to 31.4 to 32.9 to 34.4 to 35.9 to 37.5 to	16.1 to 17.5 17.6 to 19.0 19.1 to 20.6 20.7 to 22.1 22.2 to 23.6 23.7 to 25.1 25.2 to 26.7 26.8 to 28.2 28.3 to 29.7 29.8 to 31.3 31.4 to 32.8 32.9 to 34.3 34.4 to 35.8 35.9 to 37.4 37.5 to 38.9

		SLOF	PE 75
HANDICAP FACTOR			COURSE HANDICAP
+3.5	to	+2.3	+2
+2.2	to	+0.8	+1
+0.7	to	0.7	0
0.8	to	2.2	1
2.3	to	3.7	2
3.8	to	5.2	3
5.3	to	6.7	4
6.8	to	8.2	5
8.3	to	9.7	6
9.8	to	11.2	7
11.3	to	12.8	8
12.9	to	14.3	9
14.4	to	15.8	10
15.9	to	17.3	11
17.4	to	18.8	12
18.9	to	20.3	13
20.4	to	21.8	14
21.9	to	23.3	15
23.4	to	24.8	16
24.9	to	26.3	17
26.4	to	27.8	18
27.9	to	29.3	19
29.4	to	30.8	20
30.9	to	32.3	21
32.4	to	33.8	22
33.9	to	35.4	23
35.5	to	36.9	24
37.0	to	38.4	25
38.5	to	39.9	26
40.0	to	40.4	27

		SLOP	E 76
	ANDI ACT	OR	COURSE HANDICAP
+3.5	to	+2.3	+2
+2.2	to	+0.8	+1
+0.7	to	0.7	0
0.8	to	2.2	1
2.3	to	3.7	2
3.8	to	5.2	3
5.3	to	6.6	4
6.7	to	8.1	5
8.2	to	9.6	6
9.7	to	11.1	7
11.2	to	12.6	8
12.7	to	14.1	9
14.2	to	15.6	10
15.7	to	17.0	11
17.1	to	18.5	12
18.6	to	20.0	13
20.1	to	21.5	14
21.6	to	23.0	15
23.1	to	24.5	16
24.6	to	26.0	17
26.1	to	27.5	18
27.6	to	28.9	19
29.0	to	30.4	20
30.5	to	31.9	21
32.0	to	33.4	22
33.5	to	34.9	23
35.0	to	36.4	24
36.5	to	37.9	25
38.0	to	39.4	26
39.5	to	40.4	27

		SLOP	E 77
	ANDI ACT(CAP OR	COURSE HANDICAP
+3.5	to	+2.3	+2
+2.2	to	+0.8	+1
+0.7	to	0.7	0
0.8	to	2.2	1
2.3	to	3.6	2
3.7	to	5.1	3
5.2	to	6.6	4
6.7	to	8.0	5
8.1	to	9.5	6
9.6	to	11.0	7
11.1	to	12.4	8
12.5	to	13.9	9
14.0	to	15.4	10
15.5	to	16.8	11
16.9	to	18.3	12
18.4	to	19.8	13
19.9	to	21.2	14
21.3	to	22.7	15
22.8	to	24.2	16
24.3	to	25.6	17
25.7	to	27.1	18
27.2	to	28.6	19
28.7	to	30.0	20
30.1	to	31.5	21
31.6	to	33.0	22
33.1	to	34.4	23
34.5	to	35.9	24
36.0	to	37.4	25
37.5	to	38.8	26
38.9	to	40.3	27
40.4	to	40.4	28

SLOPE 78					
	NDI ACT(COURSE HANDICAP		
+3.5	to	+2.2	+2		
+2.1	to	+0.8	+1		
+0.7	to	0.7	0		
0.8	to	2.1	1		
2.2	to	3.5	2		
3.6	to	5.0	3		
5.1	to	6.4	4		
6.5	to	7.8	5		
7.9	to	9.2	6		
9.3	to	10.7	7		
10.8	to	12.1	8		
12.2	to	13.5	9		
13.6	to	15.0	10		
15.1	to	16.4	11		
16.5	to	17.8	12		
17.9	to	19.3	13		
19.4	to	20.7	14		
20.8	to	22.1	15		
22.2	to	23.6	16		
23.7	to	25.0	17		
25.1	to	26.4	18		
26.5	to	27.8	19		
27.9	to	29.3	20		
29.4	to	30.7	21		
30.8	to	32.1	22		
32.2	to	33.6	23		
33.7	to	35.0	24		
35.1 36.5	to	36.4 27.0	25 26		
	to	37.9 39.3			
38.0 39.4	to	39.3 40.4	27 28		
39. 4	to	40.4	28		

SLOPE 79					
	ANDI ACT		COURSE HANDICAP		
+3.5	to	+2.2	+2		
+2.1	to	+0.8	+1		
+0.7	to	0.7	0		
0.8	to	2.1	1		
2.2	to	3.5	2		
3.6	to	5.0	3		
5.1	to	6.4	4		
6.5	to	7.8	5		
7.9	to	9.2	6		
9.3	to	10.7	7		
10.8	to	12.1	8		
12.2	to	13.5	9		
13.6	to	15.0	10		
15.1	to	16.4	11		
16.5	to	17.8	12		
17.9	to	19.3	13		
19.4	to	20.7	14		
20.8	to	22.1	15		
22.2	to	23.6	16		
23.7	to	25.0	17		
25.1	to	26.4	18		
26.5	to	27.8	19		
27.9	to	29.3	20		
29.4	to	30.7	21		
30.8	to	32.1	22		
32.2	to	33.6	23		
33.7	to	35.0	24		
35.1	to	36.4	25		
36.5	to	37.9	26		
38.0	to	39.3	27		
39.4	to	40.4	28		

SLOPE 80					
	ANDI ACT(COURSE HANDICAP			
+3.5	to	+2.2	+2		
+2.1	to	+0.8	+1		
+0.7	to	0.7	0		
0.8	to	2.1	1		
2.2	to	3.5	2		
3.6	to	4.9	3		
5.0	to	6.3	4		
6.4	to	7.7	5		
7.8	to	9.1	6		
9.2	to	10.5	7		
10.6	to	12.0	8		
12.1	to	13.4	9		
13.5	to	14.8	10		
14.9	to	16.2	11		
16.3	to	17.6	12		
17.7	to	19.0	13		
19.1	to	20.4	14		
20.5	to	21.8	15		
21.9	to	23.3	16		
23.4	to	24.7	17		
24.8	to	26.1	18		
26.2	to	27.5	19		
27.6	to	28.9	20		
29.0	to	30.3 31.7	21		
30.4	to		22		
31.8	to to	33.1	23 24		
33.2 34.7	to	34.6 36.0	2 4 25		
3 4 .7	to	30.0 37.4	25 26		
37.5	to	38.8	20 27		
38.9	to	40.2	28		
40.3	to	40.4	29		

SLOPE 81					
	ANDI ACT	CAP OR	COURSE HANDICAP		
+3.5	to	+3.5	+3		
+3.4	to	+2.1	+2		
+2.0	to	+0.7	+1		
+0.6	to	0.6	0		
0.7	to	2.0	1		
2.1	to	3.4	2		
3.5	to	4.8	3		
4.9	to	6.2	4		
6.3	to	7.6	5		
7.7	to	9.0	6		
9.1	to	10.4	7		
10.5	to	11.8	8		
11.9	to	13.2	9		
13.3	to	14.6	10		
14.7 16.1	to to	16.0 17.4	11 12		
17.5	to	18.8	13		
18.9	to	20.2	14		
20.3	to	21.6	15		
21.7	to	23.0	16		
23.1	to	24.4	17		
24.5	to	25.8	18		
25.9	to	27.2	19		
27.3	to	28.5	20		
28.6	to	29.9	21		
30.0	to	31.3	22		
31.4	to	32.7	23		
32.8	to	34.1	24		
34.2	to	35.5	25		
35.6	to	36.9	26		
37.0	to	38.3	27		
38.4	to	39.7	28		
39.8	to	40.4	29		

		SLOPE	
	ANDI ACTO	CAP	COURSE HANDICAP
+3.5	to	+3.5	+3
+3.4	to	+2.1	+2
+2.0	to	+0.7	+1
+0.6	to	0.6	0
0.7	to	2.0	1
2.1	to	3.4	2
3.5	to	4.8	3
4.9	to	6.2	4
6.3	to	7.5	5
7.6	to	8.9	6
9.0	to	10.3	7
10.4	to	11.7	8
11.8	to	13.0	9
13.1	to	14.4	10
14.5	to	15.8	11
15.9	to	17.2	12
17.3	to	18.6	13
18.7	to	19.9	14
20.0	to	21.3	15
21.4	to	22.7	16
22.8	to	24.1	17
24.2	to	25.4	18
25.5	to	26.8	19
26.9	to	28.2	20
28.3 29.7	to	29.6 31.0	21
31.1	to to	32.3	22 23
32.4	to	33.7	23 24
33.8	to	35.7 35.1	25
35.2	to	36.5	26 26
36.6	to	30.3 37.8	20 27
37.9	to	39.2	28
39.3	to	40.4	29

SLOPE 83					
	AND ACT	CAP OR	COURSE HANDICAP		
+3.5	to	+3.5	+3		
+3.4	to	+2.1	+2		
+2.0	to	+0.7	+1		
+0.6	to	0.6	0		
0.7	to	2.0	1		
2.1	to	3.4	2		
3.5	to	4.7	3		
4.8	to	6.1	4		
6.2	to	7.4	5		
7.5	to	8.8	6		
8.9	to	10.2	7		
10.3	to	11.5	8		
11.6	to	12.9	9		
13.0	to	14.2	10		
14.3	to	15.6	11		
15.7	to	17.0	12		
17.1	to	18.3	13		
18.4	to	19.7	14		
19.8	to	21.1	15		
21.2	to	22.4	16		
22.5	to	23.8	17		
23.9	to	25.1	18		
25.2	to	26.5	19		
26.6	to	27.9	20		
28.0	to	29.2	21		
29.3	to	30.6	22		
30.7	to	31.9	23		
32.0	to	33.3 34.7	24 25		
33.4 34.8	to	34.7 36.0	25 26		
	to to		26 27		
36.1 37.5	to	37.4 38.8	28		
38.9	to	36.6 40.1	28 29		
40.2	to	40.1 40.4	30		
10.2		10.1	30		

SLOPE 84					
	ANDI ACT(CAP OR	COURSE HANDICAP		
+3.5	to	+3.4	+3		
+3.3	to	+2.1	+2		
+2.0	to	+0.7	+1		
+0.6	to	0.6	0		
0.7	to	2.0	1		
2.1	to	3.3	2		
3.4	to	4.7	3		
4.8	to	6.0	4		
6.1	to	7.3	5		
7.4	to	8.7	6		
8.8	to	10.0	7		
10.1	to	11.4	8		
11.5	to	12.7	9		
12.8	to	14.1	10		
14.2	to	15.4	11		
15.5	to	16.8	12		
16.9	to	18.1	13		
18.2	to	19.5	14		
19.6	to	20.8	15		
20.9	to	22.1	16		
22.2	to	23.5	17		
23.6	to	24.8	18		
24.9	to	26.2	19		
26.3	to	27.5	20		
27.6	to	28.9	21		
29.0	to	30.2	22		
30.3	to	31.6	23		
31.7	to	32.9	24		
33.0	to	34.3	25		
34.4	to	35.6	26		
35.7	to	36.9	27		
37.0	to	38.3	28		
38.4	to	39.6	29		
39.7	to	40.4	30		

SLOPE 85					
	ACT(CAP OR	COURSE HANDICAP		
+3.5	to	+3.4	+3		
+3.3	to	+2.0	+2		
+1.9	to	+0.7	+1		
+0.6	to	0.6	0		
0.7	to	1.9	1		
2.0	to	3.3	2		
3.4	to	4.6	3		
4.7	to	5.9	4		
6.0	to	7.3	5		
7.4	to	8.6	6		
8.7	to	9.9	7		
10.0	to	11.2	8		
11.3	to	12.6	9		
12.7	to	13.9	10		
14.0	to	15.2	11		
15.3	to	16.6	12		
16.7	to	17.9	13		
18.0	to	19.2	14		
19.3	to	20.6	15		
20.7	to	21.9	16		
22.0	to	23.2	17		
23.3	to	24.5	18		
24.6	to	25.9	19		
26.0	to	27.2	20		
27.3	to	28.5	21		
28.6	to	29.9	22		
30.0	to	31.2	23		
31.3	to	32.5	24 25		
32.6	to	33.8	25 26		
33.9 35.3	to	35.2 36.5	26 27		
35.3 36.6	to	30.5 37.8	28		
37.9	to to	37.8 39.2	28 29		
39.3	to	39.2 40.4	30		
37.3	ιυ	1 0.4	30		

		SLOPE	86
	ACT(COURSE HANDICAP
+3.5	to	+3.3	+3
+3.2	to	+2.0	+2
+1.9	to	+0.7	+1
+0.6	to	0.6	0
0.7	to	1.9	1
2.0	to	3.2	2
3.3	to	4.5	3
4.6	to	5.9	4
6.0	to	7.2	5
7.3	to	8.5	6
8.6	to	9.8	7
9.9	to	11.1	8
11.2	to	12.4	9
12.5	to	13.7	10
13.8	to	15.1	11
15.2	to	16.4	12
16.5	to	17.7	13
17.8	to	19.0	14 15
19.1	to	20.3	15 16
20.4 21.7	to to	21.6 22.9	17
23.0	to	24.3	17
24.4	to	24.5 25.6	19
25.7	to	26.9	20
27.0	to	28.2	21
28.3	to	29.5	22
29.6	to	30.8	23
30.9	to	32.1	24
32.2	to	33.5	25
33.6	to	34.8	26
34.9	to	36.1	27
36.2	to	37.4	28
37.5	to	38.7	29
38.8	to	40.0	30
30.0		40.4	31

SLOPE 87					
	ANDI ACT	CAP OR	COURSE HANDICAP		
+3.5	to	+3.3	+3		
+3.2	to	+2.0	+2		
+1.9	to	+0.7	+1		
+0.6	to	0.6	0		
0.7	to	1.9	1		
2.0	to	3.2	2		
3.3	to	4.5	3		
4.6	to	5.8	4		
5.9	to	7.1	5		
7.2	to	8.4	6		
8.5	to	9.7	7		
9.8	to	11.0	8		
11.1	to	12.3	9		
12.4	to	13.6	10		
13.7	to	14.9	11		
15.0	to	16.2	12		
16.3	to	17.5	13		
17.6	to	18.8	14		
18.9	to	20.1	15		
20.2	to	21.4	16		
21.5	to	22.7	17		
22.8	to	24.0	18		
24.1	to	25.3	19		
25.4	to	26.6	20		
26.7	to	27.9	21		
28.0	to	29.2	22		
29.3	to	30.5	23		
30.6	to	31.8	24		
31.9	to	33.1	25 26		
33.2	to	34.4 35.7	26 27		
34.5	to	35.7 37.0			
35.8 37.1	to to	37.0 38.3	28 29		
38.4	to	39.6	30		
39.7	to	39.0 40.4	31		
39.7	ιο	-10.4	J1		
l					

SLOPE 88				
	ANDI ACT(CAP OR	COURSE HANDICAP	
+3.5	to	+3.3	+3	
+3.2	to	+2.0	+2	
+1.9	to	+0.7	+1	
+0.6	to	0.6	0	
0.7	to	1.9	1	
2.0	to	3.2	2	
3.3	to	4.4	3	
4.5	to	5.7	4	
5.8	to	7.0	5	
7.1	to	8.3	6	
8.4	to	9.6	7	
9.7	to	10.9	8	
11.0	to	12.1	9	
12.2	to	13.4	10	
13.5	to	14.7	11	
14.8	to	16.0	12	
16.1	to	17.3	13	
17.4	to	18.6	14	
18.7	to	19.9	15	
20.0	to	21.1	16	
21.2	to	22.4	17	
22.5	to	23.7	18	
23.8	to	25.0	19	
25.1	to	26.3	20	
26.4	to	27.6	21	
27.7	to	28.8	22	
28.9	to	30.1	23	
30.2	to	31.4	24	
31.5	to	32.7	25	
32.8	to	34.0	26	
34.1	to	35.3	27	
35.4	to	36.5	28	
36.6	to	37.8	29	
37.9	to	39.1	30	
39.2	to	40.4	31	

SLOPE 89				
	ANDI ACT	COURSE HANDICAP		
+3.5	to	+3.2	+3	
+3.1	to	+2.0	+2	
+1.9	to	+0.7	+1	
+0.6	to	0.6	0	
0.7	to	1.9	1	
2.0	to	3.1	2	
3.2	to	4.4	3	
4.5	to	5.7	4	
5.8	to	6.9	5	
7.0	to	8.2	6	
8.3	to	9.5	7	
9.6	to	10.7	8	
10.8	to	12.0	9	
12.1	to	13.3	10	
13.4	to	14.6	11	
14.7	to	15.8	12	
15.9	to	17.1	13	
17.2	to	18.4	14	
18.5	to	19.6	15	
19.7	to	20.9	16	
21.0	to	22.2	17	
22.3	to	23.4	18	
23.5	to	24.7	19	
24.8	to	26.0	20	
26.1	to	27.2	21	
27.3	to	28.5	22	
28.6	to	29.8	23	
29.9	to	31.1	24	
31.2	to	32.3	25	
32.4	to	33.6	26 27	
33.7	to	34.9	27	
35.0	to	36.1	28	
36.2	to	37.4	29	
37.5	to	38.7	30	
38.8 40.0	to	39.9 40.4	31 32	
40.0	to	40.4	32	

SLOPE 90					
	ANDI ACTO		COURSE HANDICAP		
+3.5	to	+3.2	+3		
+3.1	to	+1.9	+2		
+1.8	to	+0.7	+1		
+0.6	to	0.6	0		
0.7	to	1.8	1		
1.9	to	3.1	2		
3.2	to	4.3	3		
4.4	to	5.6	4		
5.7	to	6.9	5		
7.0	to	8.1	6		
8.2	to	9.4	7		
9.5	to	10.6	8		
10.7	to	11.9	9		
12.0	to	13.1	10		
13.2	to	14.4	11		
14.5	to	15.6	12		
15.7	to	16.9	13		
17.0	to	18.2	14		
18.3	to	19.4	15		
19.5	to	20.7	16		
20.8	to	21.9	17		
22.0	to	23.2	18		
23.3	to	24.4	19		
24.5	to	25.7	20		
25.8	to	26.9	21		
27.0	to	28.2	22		
28.3	to	29.5	23		
29.6	to	30.7	24		
30.8	to	32.0	25		
32.1	to	33.2	26		
33.3	to	34.5	27		
34.6	to	35.7	28		
35.8	to	37.0	29		
37.1	to	38.2	30		
38.3	to	39.5	31		
39.6	to	40.4	32		

SLOPE 91					
	AND ACT	COURSE HANDICAP			
+3.5	to	+3.2	+3		
+3.1	to	+1.9	+2		
+1.8	to	+0.7	+1		
+0.6	to	0.6	0		
0.7	to	1.8	1		
1.9	to	3.1	2		
3.2	to	4.3	3		
4.4	to	5.5	4		
5.6	to	6.8	5		
6.9	to	8.0	6		
8.1	to	9.3	7		
9.4	to	10.5	8		
10.6	to	11.7	9		
11.8	to	13.0	10		
13.1	to	14.2	11		
14.3	to	15.5	12		
15.6	to	16.7	13		
16.8	to	18.0	14		
18.1	to	19.2	15		
19.3	to	20.4	16		
20.5	to	21.7	17		
21.8	to	22.9	18		
23.0	to	24.2	19		
24.3 25.5	to	25.4	20		
25.5 26.7	to	26.6 27.9	21 22		
28.0	to to	27.9	23		
29.2	to	30.4	24		
30.5	to	31.6	25		
31.7	to	32.9	26		
33.0	to	34.1	27		
34.2	to	35.3	28		
35.4	to	36.6	29		
36.7	to	37.8	30		
37.9	to	39.1	31		
39.2	to	40.3	32		
40.4	to	40.4	33		

SLOPE 92					
	ACT(CAP OR	COURSE HANDICAP		
+3.5	to	+3.1	+3		
+3.0	to	+1.9	+2		
+1.8	to	+0.7	+1		
+0.6	to	0.6	0		
0.7	to	1.8	1		
1.9	to	3.0	2		
3.1	to	4.2	3		
4.3	to	5.5	4		
5.6	to	6.7	5		
6.8	to	7.9	6		
8.0	to	9.2	7		
9.3	to	10.4	8		
10.5	to	11.6	9		
11.7	to	12.8	10		
12.9	to	14.1	11		
14.2	to	15.3	12		
15.4	to	16.5	13		
16.6	to	17.8	14		
17.9	to	19.0	15		
19.1	to	20.2	16		
20.3	to	21.4	17		
21.5	to	22.7	18		
22.8	to	23.9	19		
24.0	to	25.1	20		
25.2	to	26.4	21		
26.5	to	27.6	22		
27.7	to	28.8	23		
28.9	to	30.0	24		
30.1	to	31.3	25		
31.4	to	32.5	26		
32.6	to	33.7	27		
33.8	to	35.0	28		
35.1	to	36.2	29		
36.3	to	37.4	30		
37.5	to	38.6	31		
38.7	to	39.9	32 33		
40.0	to	40.4	33		

SLOPE 93				
	AND ACT	OR	COURSE HANDICAP	
+3.5	to	+3.1	+3	
+3.0	to	+1.9	+2	
+1.8	to	+0.7	+1	
+0.6	to	0.6	0	
0.7	to	1.8	1	
1.9	to	3.0	2	
3.1	to	4.2	3	
4.3	to	5.4	4	
5.5	to	6.6	5	
6.7	to	7.8	6	
7.9	to	9.1	7	
9.2	to	10.3	8	
10.4	to	11.5	9	
11.6	to	12.7	10	
12.8	to	13.9	11	
14.0	to	15.1	12	
15.2	to	16.4	13	
16.5	to	17.6	14	
17.7	to	18.8	15	
18.9	to	20.0	16	
20.1	to	21.2	17	
21.3	to	22.4	18	
22.5	to	23.6	19	
23.7	to	24.9	20	
25.0	to	26.1	21	
26.2	to	27.3	22	
27.4	to	28.5	23	
28.6	to	29.7	24	
29.8	to	30.9	25	
31.0	to	32.1	26 27	
32.2	to	33.4	27	
33.5	to	34.6	28 20	
34.7	to	35.8 37.0	29	
35.9	to		30 31	
37.1 38.3	to to	38.2 39.4	31	
39.5	to	39.4 40.4	33	
		-10. - 1	J.J.	

SLOPE 94					
	ANDI ACT	CAP OR	COURSE HANDICAP		
+3.5	to	+3.1	+3		
+3.0	to	+1.9	+2		
+1.8	to	+0.7	+1		
+0.6	to	0.6	0		
0.7	to	1.8	1		
1.9	to	3.0	2		
3.1	to	4.2	3		
4.3	to	5.4	4		
5.5	to	6.6	5		
6.7	to	7.8	6		
7.9	to	9.0	7		
9.1	to	10.2	8		
10.3	to	11.4	9		
11.5	to	12.6	10		
12.7	to	13.8	11		
13.9	to	15.0	12		
15.1	to	16.2	13		
16.3	to	17.4	14		
17.5	to	18.6	15		
18.7	to	19.8	16		
19.9	to	21.0	17		
21.1	to	22.2	18		
22.3	to	23.4	19		
23.5	to	24.6	20		
24.7	to	25.8	21		
25.9	to	27.0	22		
27.1	to	28.2	23		
28.3	to	29.4	24		
29.5	to	30.6	25		
30.7	to	31.8	26		
31.9	to	33.0	27		
33.1	to	34.2	28		
34.3	to	35.4	29		
35.5	to	36.6	30		
36.7	to	37.8	31		
37.9	to	39.0	32		
39.1	to	40.2	33		
40.3	to	40.4	34		

SLOPE 95				
	AND ACT	ICAP OR	COURSE HANDICAP	
+3.5	to	+3.0	+3	
+2.9	to	+1.8	+2	
+1.7	to	+0.6	+1	
+0.5	to	0.5	0	
0.6	to	1.7	1	
1.8	to	2.9	2	
3.0	to	4.1	3	
4.2	to	5.3	4	
5.4	to	6.5	5	
6.6	to	7.7	6	
7.8	to	8.9	7	
9.0	to	10.1	8	
10.2	to	11.2	9	
11.3	to	12.4	10	
12.5	to	13.6	11	
13.7	to	14.8	12	
14.9	to	16.0	13	
16.1	to	17.2	14	
17.3	to	18.4	15	
18.5	to	19.6	16	
19.7	to	20.8	17	
20.9	to	22.0	18	
22.1	to	23.1	19	
23.2	to	24.3	20	
24.4	to	25.5	21	
25.6	to	26.7	22	
26.8	to	27.9	23	
28.0	to	29.1	24	
29.2	to	30.3	25	
30.4	to	31.5	26	
31.6	to	32.7	27	
32.8	to	33.8	28	
33.9	to	35.0	29	
35.1	to	36.2	30	
36.3	to	37.4	31	
37.5	to	38.6	32	
38.7	to	39.8	33	
39.9	to	40.4	34	

		SLOP	E 96
	AND ACT	ICAP OR	COURSE HANDICAP
+3.5	to	+3.0	+3
+2.9	to	+1.8	+2
+1.7	to	+0.6	+1
+0.5	to	0.5	0
0.6	to	1.7	1
1.8	to	2.9	2
3.0	to	4.1	3
4.2	to	5.2	4
5.3	to	6.4	5
6.5	to	7.6	6
7.7	to	8.8	7
8.9	to	10.0	8
10.1	to	11.1	9
11.2	to	12.3	10
12.4	to	13.5	11
13.6	to	14.7	12
14.8	to	15.8	13
15.9	to	17.0	14
17.1	to	18.2	15
18.3	to	19.4	16
19.5	to	20.5	17 18
20.6	to	21.7	
21.8 23.0	to to	22.9 24.1	19 20
24.2	to	25.3	21
25.4	to	26.4	22
26.5	to	27.6	23
27.7	to	28.8	24
28.9	to	30.0	25
30.1	to	31.1	26
31.2	to	32.3	27
32.4	to	33.5	28
33.6	to	34.7	29
34.8	to	35.9	30
36.0	to	37.0	31
37.1	to	38.2	32
38.3	to	39.4	33
39.5	to	40.4	34

SLOPE 97				
	ANDI ACT	CAP OR	COURSE HANDICAP	
+3.5	to	+3.0	+3	
+2.9	to	+1.8	+2	
+1.7	to	+0.6	+1	
+0.5	to	0.5	0	
0.6	to	1.7	1	
1.8	to	2.9	2	
3.0	to	4.0	3	
4.1	to	5.2	4	
5.3	to	6.4	5	
6.5	to	7.5	6	
7.6	to	8.7	7	
8.8	to	9.9	8	
10.0	to	11.0	9	
11.1	to	12.2	10	
12.3	to	13.3	11	
13.4	to	14.5	12	
14.6	to	15.7	13 14	
15.8	to	16.8	15	
16.9 18.1	to to	18.0 19.2	16	
19.3		20.3	17	
20.4	to to	20.5	17	
21.6	to	22.7	19	
22.8	to	23.8	20	
23.9	to	25.0	21	
25.1	to	26.2	22	
26.3	to	27.3	23	
27.4	to	28.5	24	
28.6	to	29.7	25	
29.8	to	30.8	26	
30.9	to	32.0	27	
32.1	to	33.2	28	
33.3	to	34.3	29	
34.4	to	35.5	30	
35.6	to	36.6	31	
36.7	to	37.8	32	
37.9	to	39.0	33	
39.1	to	40.1	34	
40.2	to	40.4	35	

		SLOP	E 98
	ANDI ACT	CAP	COURSE HANDICAP
+3.5	to	+2.9	+3
+2.8	to	+1.8	+2
+1.7	to	+0.6	+1
+0.5	to	0.5	0
0.6	to	1.7	1
1.8	to	2.8	2
2.9	to	4.0	3
4.1	to	5.1	4
5.2	to	6.3	5
6.4	to	7.4	6
7.5	to	8.6	7
8.7	to	9.8	8
9.9	to	10.9	9
11.0	to	12.1	10
12.2	to	13.2	11
13.3	to	14.4	12
14.5	to	15.5	13
15.6	to	16.7	14
16.8	to	17.8	15
17.9	to	19.0	16
19.1	to	20.1	17
20.2	to	21.3	18
21.4	to	22.4	19
22.5	to	23.6	20
23.7	to	24.7	21
24.8	to	25.9	22
26.0	to	27.0	23
27.1	to	28.2	24
28.3	to	29.4	25
29.5	to	30.5	26
30.6	to	31.7	27
31.8	to	32.8	28
32.9	to	34.0	29
34.1	to	35.1	30
35.2	to	36.3	31
36.4	to	37.4	32
37.5	to	38.6	33
38.7	to	39.7	34
39.8	to	40.4	35

SLOPE 99				
	AND ACT	ICAP OR	COURSE HANDICAP	
+3.5	to	+2.9	+3	
+2.8	to	+1.8	+2	
+1.7	to	+0.6	+1	
+0.5	to	0.5	0	
0.6	to	1.7	1	
1.8	to	2.8	2	
2.9	to	3.9	3	
4.0	to	5.1	4	
5.2	to	6.2	5	
6.3	to	7.4	6	
7.5	to	8.5	7	
8.6 9.8	to	9.7 10.8	8 9	
10.9	to to	11.9	10	
12.0	to	13.1	11	
13.2	to	14.2	12	
14.3	to	15.4	13	
15.5	to	16.5	14	
16.6	to	17.6	15	
17.7	to	18.8	16	
18.9	to	19.9	17	
20.0	to	21.1	18	
21.2	to	22.2	19	
22.3	to	23.3	20	
23.4	to	24.5	21	
24.6	to	25.6	22	
25.7	to	26.8	23	
26.9	to	27.9	24	
28.0	to	29.1	25	
29.2	to	30.2	26	
30.3	to	31.3	27	
31.4	to	32.5	28	
32.6	to	33.6	29	
33.7	to	34.8	30	
34.9	to	35.9	31	
36.0	to	37.0	32 33	
37.1 38.3	to to	38.2 39.3	33 34	
39.4	to	39.3 40.4	34 35	
37. 4	ω	40.4	33	

SLOPE 100				
	ANDI ACT		COURSE HANDICAP	
+3.5	to	+2.9	+3	
+2.8	to	+1.7	+2	
+1.6	to	+0.6	+1	
+0.5	to	0.5	0	
0.6	to	1.6	1	
1.7	to	2.8	2	
2.9	to	3.9	3	
4.0 5.1	to	5.0 6.2	4 5	
6.3	to to	7.3	6	
7.4	to	7.3 8.4	7	
8.5	to	9.6	8	
9.7	to	10.7	9	
10.8	to	11.8	10	
11.9	to	12.9	11	
13.0	to	14.1	12	
14.2	to	15.2	13	
15.3	to	16.3	14	
16.4	to	17.5	15	
17.6	to	18.6	16	
18.7	to	19.7	17	
19.8	to	20.9	18	
21.0	to	22.0	19	
22.1	to	23.1	20	
23.2	to	24.2	21	
24.3	to	25.4	22	
25.5	to	26.5	23 24	
26.6 27.7	to to	27.6 28.8	25	
28.9	to	29.9	26	
30.0	to	31.0	27	
31.1	to	32.2	28	
32.3	to	33.3	29	
33.4	to	34.4	30	
34.5	to	35.5	31	
35.6	to	36.7	32	
36.8	to	37.8	33	
37.9	to	38.9	34	
39.0	to	40.1	35	
40.2	to	40.4	36	

SLOPE 101				
	ANDI ACT(COURSE HANDICAP	
+3.5	to	+2.8	+3	
+2.7	to	+1.7	+2	
+1.6	to	+0.6	+1	
+0.5	to	0.5	0	
0.6	to	1.6	1	
1.7	to	2.7	2	
2.8	to	3.9	3	
4.0	to	5.0	4	
5.1	to	6.1	5	
6.2	to	7.2	6 7	
7.3 8.4	to	8.3 9.5	8	
9.6	to to	9.5 10.6	9	
10.7	to	11.7	10	
11.8	to	12.8	11	
12.9	to	13.9	12	
14.0	to	15.1	13	
15.2	to	16.2	14	
16.3	to	17.3	15	
17.4	to	18.4	16	
18.5	to	19.5	17	
19.6	to	20.6	18	
20.7	to	21.8	19	
21.9	to	22.9	20	
23.0	to	24.0	21	
24.1	to	25.1	22	
25.2	to	26.2	23	
26.3	to	27.4	24	
27.5	to	28.5	25	
28.6	to	29.6	26	
29.7	to	30.7	27	
30.8	to	31.8	28	
31.9	to	33.0 34.1	29 30	
33.1 34.2	to to	35.2	31	
35.3	to	36.3	32	
36.4	to	30.3 37.4	33	
37.5	to	38.5	34	
38.6	to	39.7	35	
39.8	to	40.4	36	

	SLOPE 102					
	NDI CT(COURSE HANDICAP			
+3.5	to	+2.8	+3			
+2.7	to	+1.7	+2			
+1.6	to	+0.6	+1			
+0.5	to	0.5	0			
0.6	to	1.6	1			
1.7	to	2.7	2			
2.8	to	3.8	3			
3.9	to	4.9	4			
5.0	to	6.0	5			
6.1	to	7.2	6			
7.3	to	8.3	7			
8.4	to	9.4	8			
9.5	to	10.5	9			
10.6	to	11.6	10			
11.7	to	12.7	11			
12.8	to	13.8	12			
13.9	to	14.9	13			
15.0	to	16.0	14			
16.1	to	17.1	15			
17.2	to	18.2	16			
18.3	to	19.3	17			
19.4	to	20.4	18			
20.5	to	21.6	19			
21.7	to	22.7	20			
22.8	to	23.8	21			
23.9	to	24.9	22			
25.0	to	26.0 27.1	23 24			
26.1	to to		2 4 25			
27.2 28.3	to	28.2 29.3	25 26			
20.3 29.4		30.4	27			
30.5	to to	30. 4 31.5	28			
31.6	to	32.6	29			
32.7	to	33.7	30			
33.8	to	34.8	31			
34.9	to	36.0	32			
36.1	to	37.1	33			
37.2	to	38.2	34			
38.3	to	39.3	35			
39.4	to	40.4	36			

		SLOPI	E 103
	ANDI ACT(COURSE HANDICAP
+3.5	to	+2.8	+3
+2.7	to	+1.7	+2
+1.6	to	+0.6	+1
+0.5 0.6	to to	0.5 1.6	0 1
1.7	to	2.7	2
2.8	to	3.8	3
3.9	to	4.9	4
5.0	to	6.0	5
6.1	to	7.1	6
7.2	to	8.2	7
8.3	to	9.3	8
9.4 10.5	to to	10.4 11.5	9 10
11.6	to	12.6	10
12.7	to	13.7	12
13.8	to	14.8	13
14.9	to	15.9	14
16.0	to	17.0	15
17.1	to	18.1	16
18.2	to	19.1	17
19.2	to	20.2	18 19
20.3 21.4	to to	21.3 22.4	20
22.5	to	23.5	21
23.6	to	24.6	22
24.7	to	25.7	23
25.8	to	26.8	24
26.9	to	27.9	25
28.0	to	29.0	26
29.1	to	30.1	27 28
30.2 31.3	to to	31.2 32.3	28 29
32.4	to	33.4	30
33.5	to	34.5	31
34.6	to	35.6	32
35.7	to	36.7	33
36.8	to	37.8	34
37.9	to	38.9	35
39.0	to	40.0	36
40.1	to	40.4	37

	SLOPE 104				
	ACT(COURSE HANDICAP		
+3.5 +2.7 +1.6 +0.5 0.6 1.7 2.8 3.9 4.9 6.0 7.1 8.2 9.3 10.4 11.5 12.5 13.6 14.7 15.8 16.9 18.0 19.1 20.2 21.2 22.3 23.4 24.5 25.6 26.7 27.8 28.8 29.9 31.0 32.1 33.2 34.3 35.4 36.4 37.5 38.6 39.7	to t	+2.8 +1.7 +0.6 0.5 1.6 2.7 3.8 4.8 5.9 7.0 8.1 9.2 10.3 11.4 12.4 13.5 14.6 15.7 16.8 17.9 19.0 20.1 21.1 22.2 23.3 24.4 25.5 26.6 27.7 28.7 29.8 30.9 32.0 33.1 34.2 35.3 36.3 37.4 38.5 39.6 40.4	+3 +2 +1 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 37 38 38 39 30 30 31 31 31 31 32 33 33 34 34 35 36 36 37 37 38 37 38 37 37 38 37 38 37 38 37 38 37 38 38 38 38 38 38 38 38 38 38 38 38 38		

SLOPE 105				
	AND ACT		COURSE HANDICAP	
+3.5	to t	+2.7	+3	
+2.6		+1.7	+2	
+1.6		+0.6	+1	
+0.5		0.5	0	
0.6		1.6	1	
1.7		2.6	2	
2.7		3.7	3	
3.8		4.8	4	
4.9		5.9	5	
6.0		6.9	6	
7.0		8.0	7	
8.1		9.1	8	
9.2		10.2	9	
10.3		11.2	10	
11.3		12.3	11	
12.4		13.4	12	
13.5		14.5	13	
14.6	to t	15.6	14	
15.7		16.6	15	
16.7		17.7	16	
17.8		18.8	17	
18.9		19.9	18	
20.0		20.9	19	
21.0		22.0	20	
22.1		23.1	21	
23.2		24.2	22	
24.3		25.2	23	
25.3		26.3	24	
26.4		27.4	25	
27.5		28.5	26	
28.6		29.5	27	
29.6		30.6	28	
30.7		31.7	29	
31.8		32.8	30	
32.9		33.8	31	
33.9		34.9	32	
35.0		36.0	33	
36.1	to	37.1	34	
37.2	to	38.2	35	
38.3	to	39.2	36	
39.3	to	40.3	37	
40.4	to	40.4	38	

SLOPE 106						
	ANDI ACT		COURSE HANDICAP			
	ACT					
+3.5	to	+2.7	+3			
+2.6	to	+1.6 +0.6	+2			
+1.5 +0.5	to to	+0.6 0.5	+1 0			
0.6	to	1.5	1			
1.6	to	2.6	2			
2.7	to	3.7	3			
3.8	to	4.7	4			
4.8	to	5.8	5			
5.9	to	6.9	6			
7.0	to	7.9	7			
8.0	to	9.0	8			
9.1	to	10.1	9			
10.2	to	11.1	10			
11.2	to	12.2	11			
12.3	to	13.3	12			
13.4 14.4	to to	14.3 15.4	13 14			
15.5	to	16.5	15			
16.6	to	17.5	16			
17.6	to	18.6	17			
18.7	to	19.7	18			
19.8	to	20.7	19			
20.8	to	21.8	20			
21.9	to	22.9	21			
23.0	to	23.9	22			
24.0	to	25.0	23			
25.1	to	26.1	24			
26.2	to	27.1	25			
27.2	to	28.2	26			
28.3 29.4	to	29.3 30.3	27 28			
30.4	to to	30.3 31.4	26 29			
31.5	to	32.5	30			
32.6	to	33.5	31			
33.6	to	34.6	32			
34.7	to	35.7	33			
35.8	to	36.7	34			
36.8	to	37.8	35			
37.9	to	38.9	36			
39.0	to	39.9	37			
40.0	to	40.4	38			

SLOPE 107					
	AND ACT	ICAP OR	COURSE HANDICAP		
+3.5	to	+2.7	+3		
+2.6	to	+1.6	+2		
+1.5	to	+0.6	+1		
+0.5	to	0.5	0		
0.6	to	1.5	1		
1.6	to	2.6	2		
2.7	to	3.6	3		
3.7	to	4.7	4		
4.8	to	5.8	5		
5.9	to	6.8	6		
6.9	to	7.9	7		
8.0	to	8.9	8		
9.0	to	10.0	9		
10.1	to	11.0	10		
11.1	to	12.1	11		
12.2	to	13.2	12		
13.3	to	14.2	13		
14.3	to	15.3	14		
15.4	to	16.3	15		
16.4	to	17.4	16		
17.5	to	18.4	17		
18.5	to	19.5	18		
19.6	to	20.5	19		
20.6	to	21.6	20		
21.7	to	22.7	21		
22.8	to	23.7	22		
23.8	to	24.8	23		
24.9	to	25.8	24		
25.9	to	26.9	25		
27.0	to	27.9	26		
28.0	to	29.0	27		
29.1	to	30.0	28		
30.1	to	31.1	29		
31.2	to	32.2	30		
32.3	to	33.2	31		
33.3	to	34.3	32		
34.4	to	35.3	33		
35.4	to	36.4	34		
36.5	to	37.4	35		
37.5	to	38.5	36		
38.6	to	39.6	37		
39.7	to	40.4	38		

SLOPE 108				
	ANDI ACT		COURSE HANDICAP	
+3.5	to	+2.7	+3	
+2.6	to	+1.6	+2	
+1.5	to	+0.6	+1	
+0.5	to	0.5	0	
0.6	to	1.5	1	
1.6	to	2.6	2	
2.7	to	3.6	3	
3.7	to	4.7	4	
4.8	to	5.7	5	
5.8	to	6.8	6	
6.9	to	7.8	7	
7.9	to	8.8	8	
8.9	to	9.9	9	
10.0	to	10.9	10	
11.0	to	12.0	11	
12.1	to	13.0	12 13	
13.1 14.2	to	14.1 15.1	_	
	to	16.2	14 15	
15.2 16.3	to to	17.2	16	
17.3	to	18.3	17	
18.4	to	19.3	18	
19.4	to	20.4	19	
20.5	to	21.4	20	
21.5	to	22.4	21	
22.5	to	23.5	22	
23.6	to	24.5	23	
24.6	to	25.6	24	
25.7	to	26.6	25	
26.7	to	27.7	26	
27.8	to	28.7	27	
28.8	to	29.8	28	
29.9	to	30.8	29	
30.9	to	31.9	30	
32.0	to	32.9	31	
33.0	to	34.0	32	
34.1	to	35.0	33	
35.1	to	36.0	34	
36.1	to	37.1	35	
37.2	to	38.1	36	
38.2	to	39.2	37	
39.3	to	40.2	38	
40.3	to	40.4	39	

SLOPE 109				
	AND ACT	I CAP OR	COURSE HANDICAP	
+3.5	to	+2.6	+3	
+2.5	to	+1.6	+2	
+1.5	to	+0.6	+1	
+0.5	to	0.5	0	
0.6	to	1.5	1	
1.6	to	2.5 3.6	2	
2.6 3.7	to to	3.6 4.6	3 4	
3.7 4.7	to	5.7	5	
5.8	to	6.7	6	
6.8	to	7.7	7	
7.8	to	8.8	8	
8.9	to	9.8	9	
9.9	to	10.8	10	
10.9	to	11.9	11	
12.0	to	12.9	12	
13.0	to	13.9	13	
14.0	to	15.0	14	
15.1 16.1	to to	16.0 17.1	15 16	
17.2	to	18.1	17	
18.2	to	19.1	18	
19.2	to	20.2	19	
20.3	to	21.2	20	
21.3	to	22.2	21	
22.3	to	23.3	22	
23.4	to	24.3	23	
24.4	to	25.3	24	
25.4	to	26.4	25	
26.5	to	27.4	26	
27.5	to	28.5	27	
28.6 29.6	to to	29.5 30.5	28 29	
30.6	to	31.6	30	
30.0	to	32.6	31	
32.7	to	33.6	32	
33.7	to	34.7	33	
34.8	to	35.7	34	
35.8	to	36.8	35	
36.9	to	37.8	36	
37.9	to	38.8	37	
38.9	to	39.9	38	
40.0	to	40.4	39	

SLOPE 110				
	ANDI ACTO		COURSE HANDICAP	
+3.5	to	+2.6	+3	
+2.5	to	+1.6	+2	
+1.5	to	+0.6	+1	
+0.5	to	0.5	0	
0.6	to	1.5	1	
1.6	to	2.5	2	
2.6	to	3.5	3	
3.6	to	4.6	4	
4.7	to	5.6	5	
5.7	to	6.6	6	
6.7	to	7.7	7	
7.8	to	8.7	8	
8.8	to	9.7	9	
9.8	to	10.7	10	
10.8	to	11.8	11	
11.9	to	12.8	12	
12.9	to	13.8	13	
13.9	to	14.8	14	
14.9	to	15.9	15	
16.0	to	16.9	16	
17.0	to	17.9	17	
18.0	to	19.0	18	
19.1	to	20.0	19	
20.1	to	21.0	20	
21.1	to	22.0	21	
22.1	to	23.1	22	
23.2	to	24.1	23	
24.2	to	25.1	24	
25.2	to	26.1	25	
26.2	to	27.2	26	
27.3	to	28.2	27	
28.3	to	29.2	28	
29.3	to	30.3	29	
30.4	to	31.3	30	
31.4	to	32.3	31	
32.4	to	33.3	32	
33.4	to	34.4	33	
34.5	to	35.4	34	
35.5	to	36.4	35	
36.5	to	37.4	36	
37.5	to	38.5	37	
38.6	to	39.5	38	
39.6	to	40.4	39	

SLOPE 111					
	AND ACT	ICAP	COURSE HANDICAP		
+3.5 +2.5	to to	+2.6 +1.6	+3 +2		
+1.5	to	+0.6	+1		
+0.5	to	0.5	0		
0.6	to	1.5	1		
1.6	to	2.5	2		
2.6	to	3.5	3		
3.6	to	4.5	4		
4.6	to	5.5	5		
5.6	to	6.6	6		
6.7	to	7.6	7		
7.7	to	8.6	8		
8.7	to	9.6	9		
9.7	to	10.6	10		
10.7	to	11.7	11		
11.8	to	12.7	12		
12.8	to	13.7	13		
13.8	to	14.7	14		
14.8	to	15.7	15		
15.8	to	16.7	16		
16.8	to	17.8 18.8	17 18		
17.9 18.9	to to	19.8	19		
19.9	to	20.8	20		
20.9	to	21.8	21		
21.9	to	22.9	22		
23.0	to	23.9	23		
24.0	to	24.9	24		
25.0	to	25.9	25		
26.0	to	26.9	26		
27.0	to	27.9	27		
28.0	to	29.0	28		
29.1	to	30.0	29		
30.1	to	31.0	30		
31.1	to	32.0	31		
32.1	to	33.0	32		
33.1	to	34.1	33		
34.2	to	35.1	34 35		
35.2 36.2	to	36.1 37.1	35 36		
37.2	to to	37.1 38.1	36 37		
38.2	to	39.1	38		
39.2	to	40.2	39		
40.3	to	40.4	40		

	SLOPE 112				
	ANDI ACT		COURSE HANDICAP		
+3.5 +2.5 +1.5 +0.5 0.6 1.6 2.6 3.6 4.6 5.6 6.6 7.6 8.6 9.6 10.6 11.7 12.7 13.7 14.7 15.7 16.7 17.7 18.7 19.7 20.7 21.7 22.8 23.8 24.8 25.8 26.8 27.8 28.8 29.8 31.8 32.8 33.8 34.9 35.9 36.9 36.9 37.9 38.9 39.9	to t	+2.6 +1.6 +0.6 0.5 1.5 2.5 3.5 4.5 5.5 6.5 7.5 8.5 9.5 10.6 12.6 13.6 14.6 15.6 16.6 17.6 18.6 19.6 20.6 21.7 23.7 24.7 25.7 24.7 25.7 26.7 27.7 27.7 28.7 29.7 30.7 31.7 32.7 33.8 35.8 36.8 37.8 38.8 39.8 40.4	+3 +2 +1 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 40 40 40 40 40 40 40 40 40 40 40 40		

SLOPE 114					
HAN	NDIC		COURSE		
FAC	CTC		HANDICAP		
	to	+3.5	+4		
	to	+2.5	+3		
	to	+1.5	+2		
+1.4	to	+0.5	+1		
	to	0.4	0		
0.5	to	1.4	1		
2.5	to	2.4	2		
	to	3.4	3		
	to	4.4	4		
	to	5.4	5		
5.5	to	6.4	6		
	to	7.4	7		
7.5	to	8.4	8		
9.5	to	9.4	9		
	to	10.4	10		
	to	11.3	11		
	to	12.3	12		
12.4	to	13.3	13		
	to	14.3	14		
14.4	to	15.3	15		
16.4	to	16.3	16		
	to	17.3	17		
	to	18.3	18		
	to	19.3	19		
	to	20.3	20		
	to	21.3	21		
21.4	to	22.3	22		
23.3	to	23.2	23		
	to	24.2	24		
	to	25.2	25		
	to	26.2	26		
26.3	to	27.2	27		
	to	28.2	28		
28.3	to	29.2	29		
30.3	to	30.2	30		
	to	31.2	31		
	to	32.2	32		
	to	33.2	33		
33.3	to	34.1	34		
	to	35.1	35		
35.2	to	36.1	36		
37.2	to	37.1	37		
	to	38.1	38		
	to	39.1	39		
	to	40.1	40		
	to	40.4	41		

SLOPE 115			
	ANDI ACT		COURSE HANDICAP
		+3.5 +2.5 +1.5 +0.5 0.4 1.4 2.4 3.4 4.4 5.4 6.3 7.3 8.3 9.3 10.3 11.2 12.2 13.2 14.2 15.2 16.2 17.1 18.1 19.1	+4 +3 +2 +1 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
19.2 20.2 21.2 22.2 23.1 24.1 25.1 26.1 27.1 28.1 29.0 30.0 31.0 32.0 33.9 34.9 35.9 36.9 37.9 38.9 39.8	to t	20.1 21.1 22.1 23.0 24.0 25.0 26.0 27.0 28.0 28.9 29.9 30.9 31.9 32.9 33.8 34.8 35.8 36.8 37.8 38.8 39.7 40.4	20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41

HANDICAP FACTOR COURSE HANDICAP +3.5 to +3.5 +4 +3.4 to +2.5 +3 +2.4 to +1.5 +2 +1.4 to 0.4 0 0.5 to 1.4 1 1.5 to 2.4 2 2.5 to 3.4 3 3.5 to 4.3 4 4.4 to 5.3 5 5.4 to 6.3 6 6.4 to 7.3 7 7.4 to 8.2 8 8.3 to 9.2 9 9.3 to 10.2 10 10.3 to 11.2 11 11.3 to 12.1 12 12.2 to 13.1 13 13.2 to 14.1 14 14.2 to 15.0 15 15.1 to 16.0 16 16.1 to 17.0 17 17.1 to 18.9 19 19.0 to 19.9 20	SLOPE 116				
+3.4 to +2.5 +3 +2.4 to +1.5 +2 +1.4 to +0.5 +1 +0.4 to 0.4 0 0.5 to 1.4 1 1.5 to 2.4 2 2.5 to 3.4 3 3.5 to 4.3 4 4.4 to 5.3 5 5.4 to 6.3 6 6.4 to 7.3 7 7.4 to 8.2 8 8.3 to 9.2 9 9.3 to 10.2 10 10.3 to 11.2 11 11.3 to 12.1 12 12.2 to 13.1 13 13.2 to 14.1 14 14.2 to 15.0 15 15.1 to 16.0 16 16.1 to 17.0 17 17.1 to 18.0 18 18.1 to 18.9 19 19.0 to 19.9 20 20.0 to 20.9 21 21.0 to 21.9 22 22.0 to 22.8 23 22.9 to 23.8 24 23.9 to 24.8 25 24.9 to 25.8 26 25.9 to 26.7 27 26.8 to 27.7 28 27.8 to 28.7 29 28.8 to 29.7 30 29.8 to 30.6 31 30.7 to 31.6 32 31.7 to 32.6 33					
33.7 to 34.5 35 34.6 to 35.5 36 35.6 to 36.5 37 36.6 to 37.5 38 37.6 to 38.4 39 38.5 to 39.4 40	+3.5 to +3.4 to +2.4 to +1.4 to +0.4 to 0.5 to 1.5 to 2.5 to 3.5 to 4.4 to 5.4 to 6.4 to 7.4 to 8.3 to 9.3 to 10.3 to 11.3 to 12.2 to 13.2 to 14.2 to 15.1 to 16.1 to 17.1 to 16.1 to 17.1 to 18.1 to 12.0 to 22.0 to 22.0 to 22.9 to 22.9 to 23.9 to 24.9 to 25.9 to 26.8 to 27.8 to 28.8 to 29.8 to 29.8 to 29.8 to 30.7 to 31.7 to	+3.5 +2.5 +1.5 +0.5 0.4 1.4 2.4 3.4 4.3 5.3 6.3 7.3 8.2 9.2 10.2 11.2 12.1 13.1 14.1 15.0 16.0 17.0 18.0 18.9 19.9 20.9 21.9 22.8 23.8 24.8 25.8 26.7 27.7 28.7 29.7 30.6 31.6 32.6 33.6 33.5 35.5 36.5 37.5	+4 +3 +2 +1 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 33 34 35 36 37 38 38 39 39 30 30 31 31 32 33 33 34 34 35 36 36 37 38 37 38 37 38 37 38 37 38 38 38 38 38 38 38 38 38 38 38 38 38		

SLOPE 117			
	AND FACT	OICAP TOR	COURSE HANDICAP
+3.5 +3.3 +2.4 +1.4 +0.5 1.5 2.5 3.4 5.4 5.3 8.3 9.2 10.2 11.2 12.1 13.1 14.1 15.0 17.0 17.9 18.9 20.8 21.8 22.7 24.7 25.6 26.6 27.6 28.5 30.5 31.4 32.4 33.4 35.3 36.3 37.3 37.3 37.3 37.3 37.3 37.3 37	to t	+3.4 +2.5 +1.5 +0.5 0.4 1.4 2.4 3.3 4.3 5.3 6.2 7.2 8.2 9.1 10.1 11.1 12.0 13.0 14.0 14.9 15.9 16.9 17.8 18.8 19.7 20.7 21.7 22.6 23.6 24.6 25.5 26.5 27.5 28.4 29.4 30.4 31.3 31.3 31.3 31.3 31.3 31.3 31.3 31	+4 +3 +2 +1 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 40 40 40 40 40 40 40 40 40 40 40 40

SLOPE 118				
	NDI ACT(COURSE HANDICAP	
+3.5	to	+3.4	+4	
+3.3 +2.3	to to	+2.4 +1.5	+3 +2	
+1.4	to	+0.5	+1	
+0.4	to	0.4	0	
0.5	to	1.4	1	
1.5	to	2.3	2	
2.4	to	3.3	3 4	
3.4 4.4	to to	4.3 5.2	5	
5.3	to	6.2	6	
6.3	to	7.1	7	
7.2	to	8.1	8	
8.2	to	9.0	9	
9.1	to	10.0	10	
10.1 11.1	to	11.0 11.9	11 12	
12.0	to to	12.9	12	
13.0	to	13.8	14	
13.9	to	14.8	15	
14.9	to	15.8	16	
15.9	to	16.7	17	
16.8	to	17.7	18	
17.8	to	18.6	19	
18.7 19.7	to to	19.6 20.5	20 21	
20.6	to	21.5	22	
21.6	to	22.5	23	
22.6	to	23.4	24	
23.5	to	24.4	25	
24.5	to	25.3	26	
25.4 26.4	to	26.3 27.2	27	
27.3	to to	27.2 28.2	28 29	
28.3	to	29.2	30	
29.3	to	30.1	31	
30.2	to	31.1	32	
31.2	to	32.0	33	
32.1	to	33.0	34	
33.1	to	33.9	35 36	
34.0 35.0	to to	34.9 35.9	36 37	
36.0	to	36.8	38	
36.9	to	37.8	39	
37.9	to	38.7	40	
38.8	to	39.7	41	
39.8	to	40.4	42	

SLOPE 119				
HANDI FACTO		COURSE HANDICAP		
38.5 to 39.5 to 40.4 to	39.4 40.3 40.4	41 42 43		

SLOPE 120			
	NDI ACT		COURSE HANDICAP
+3.5 +3.2 +2.3 +1.4 +0.5 1.5 2.4 3.3 5.2 6.2 7.1 8.0 9.9 10.9 11.8 13.7 14.6 15.6 16.5 17.5 18.4 20.3 21.2 22.2 23.1 25.9 26.9 27.8 28.8 29.7 30.7 31.6 32.5 33.5 34.4 35.4 36.3 37.2 38.1 38.1 38.2 38.2 38.2 38.3 38.4 38.2 38.2 38.2 38.2 38.2 38.2 38.2 38.2	to t	+3.3 +2.4 +1.5 +0.5 0.4 1.4 2.3 3.2 4.2 5.1 6.1 7.0 8.9 9.8 10.8 11.7 12.7 13.6 14.5 15.5 16.4 17.4 18.3 19.3 20.2 21.1 22.1 23.0 24.0 24.9 25.8 26.8 27.7 29.6 30.6 31.5 32.4 33.4 34.3 35.3 36.2 37.1 38.1 39.0 40.0 40.0 40.0 40.0 40.0 40.0 40.0 4	+4 +3 +2 +1 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 40 40 40 40 40 40 40 40 40 40 40 40

SLOPE 121			
	AND ACT		COURSE HANDICAP
+3.5 +3.2 +2.3 +1.4 +0.5 1.5 2.4 3.3 5.2 6.1 7.1 8.9 9.9 10.8 11.7 13.6 14.5 15.5 16.4 17.3 18.3 19.2 20.1 21.0 22.9 23.9 24.5 27.6 28.5 29.5 30.4 31.3 32.3 33.2 34.1 35.9 36.9 37.9 38.9 37.9 38.9 38.9 38.9 38.9 38.9 38.9 38.9 38	to t	+3.3 +2.4 +1.5 +0.5 0.4 1.4 2.3 3.2 4.2 5.1 6.0 7.0 7.9 8.8 9.8 10.7 11.6 12.6 13.5 14.4 15.4 16.3 17.2 18.2 19.1 20.0 21.0 21.0 21.9 22.8 23.8 24.7 25.6 26.6 27.5 28.4 29.4 30.3 31.2 35.0 35.0 35.0 35.0 35.0 35.0 35.0 35.0	+4 +3 +2 +1 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 40 40 40 40 40 40 40 40 40 40 40 40

SLOPE 122				
HANDICAP FACTOR			COURSE HANDICAP	
+3.5 +3.2 +2.3 +1.3 +0.4 0.5 1.4 2.4 3.3 4.2 5.1 6.1 7.0 7.9 8.8 9.8 10.7 11.6 12.6 13.5 14.4 15.3 16.3 17.2 18.1 19.0 20.0 20.9 21.8 22.7 23.7 24.6 25.5 26.4 27.4 28.3 29.2 31.1 32.9 33.9 34.8 35.7 36.6 37.6 38.5 39.6 39.6 39.6 39.6 39.6 39.6 39.6 39.6	to t	+3.3 +2.4 +1.4 +0.5 0.4 1.3 2.3 3.2 4.1 5.0 6.0 6.9 7.8 8.7 9.7 10.6 11.5 12.5 13.4 14.3 15.2 16.2 17.1 18.0 18.9 19.9 20.8 21.7 22.6 23.6 24.5 25.4 26.3 27.3 28.2 29.1 31.0 31.9 32.8 33.8 34.7 35.6 36.5 37.5 38.7 38.7 38.7 38.7 38.7 38.7 38.7 38.7	+4 +3 +2 +1 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 44 44 45 46 47 47 48 48 48 49 49 40 40 40 40 40 40 40 40 40 40 40 40 40	

SLOPE 123				
	AND ACT	OR	COURSE HANDICAP	
+3.5 +3.2 +2.2 +1.3 +0.4 0.5 1.4 2.3 3.3 4.2 5.1 6.0 6.9 7.9 8.8 9.7 10.6 11.5 12.5 13.4 14.3 15.2 16.1 17.0 18.0 18.9 19.8 20.7 21.6 22.6 23.5 24.4 25.3 26.2 27.2 27.2 29.9 30.8	to t	+3.3 +2.3 +1.4 +0.5 0.4 1.3 2.2 3.2 4.1 5.0 5.9 6.8 7.8 8.7 9.6 10.5 11.4 12.4 13.3 14.2 15.1 16.0 16.9 17.9 18.8 19.7 20.6 21.5 22.5 23.4 24.3 25.2 26.1 27.1 28.0 29.8 30.7 31.6	COURSE	
31.7 32.7 33.6 34.5 35.4	to to to to	32.6 33.5 34.4 35.3 36.2		
36.3 37.3 38.2 39.1 40.0	to to to to to	37.2 38.1 39.0 39.9 40.4	40 41 42 43 44	

SLOPE 124			
	ANDI ACT		COURSE HANDICAP
+3.5 +3.1 +2.2 +1.3 +0.4 0.5 1.4 2.3 3.2 4.2 5.1 6.0 6.9 7.8 8.7 9.6 10.5 11.4 12.3 13.3 14.2 15.1 16.0 16.9 17.8 18.7 19.6 20.6 21.5 22.4 23.3 24.2 25.1 26.0 27.8 28.8 29.7 30.6 31.5 31.5 31.5 31.5 31.5 31.5 31.5 31.5	to t	+3.2 +2.3 +1.4 +0.5 0.4 1.3 2.2 3.1 4.1 5.0 5.9 6.8 7.7 8.6 9.5 10.4 11.3 13.2 14.1 15.0 15.9 16.8 17.7 18.6 19.5 20.5 21.4 22.3 23.2 24.1 25.0 25.9 26.8 27.7 29.6 30.5 31.4 32.2 33.2 24.1 25.0 25.9 26.8 30.5 31.4 32.2 33.2 33.2 34.1 35.0 36.8 36.8 36.8 36.8 36.8 36.8 36.8 36.8	+4 +3 +2 +1 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 49 40 40 40 40 40 40 40 40 40 40 40 40 40

SLOPE 125				
HANDICAP FACTOR			COURSE HANDICAP	
+3.5 +3.1 +2.2 +1.3 +0.4 0.5 1.4 2.3 3.2 4.1 5.0 6.8 7.7 8.6 9.5 10.4 11.3 12.3 13.2 14.1 15.0 15.9 16.8 17.7 18.6 19.5 20.4 21.3 22.2 23.1 24.0 24.9 25.8 26.7 27.6 28.5 29.4 30.3 31.2 31.2 31.2 31.2 31.2 31.2 31.2 31	to t	+3.2 +2.3 +1.4 +0.5 0.4 1.3 2.2 3.1 4.0 4.9 5.8 6.7 7.6 8.5 9.4 10.3 11.2 12.2 13.1 14.0 14.9 15.8 16.7 17.6 18.5 19.4 20.3 21.2 22.1 23.0 23.9 24.8 25.7 26.6 27.5 28.4 29.3 30.2 31.1 32.9 33.8 34.8 35.7 36.6 37.5 38.4 39.3 40.2 40.4	+4 +3 +2 +1 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 40 40 40 40 40 40 40 40 40 40 40 40	

SLOPE 127					
HANDICAP FACTOR			COURSE HANDICAP		
+3.5	to	+3.2	+4		
+3.1 +2.2	to to	+2.3 +1.4	+3 +2		
+1.3	to	+0.5	+1		
+0.4	to	0.4	0		
0.5	to	1.3	1		
1.4 2.3	to	2.2 3.1	2 3		
3.2	to to	3.1 4.0	5 4		
4.1	to	4.8	5		
4.9	to	5.7	6		
5.8	to	6.6	7		
6.7 7.6	to to	7.5 8.4	8 9		
7.6 8.5	to	9.3	10		
9.4	to	10.2	11		
10.3	to	11.1	12		
11.2	to	12.0	13		
12.1 13.0	to to	12.9 13.7	14 15		
13.8	to	14.6	16		
14.7	to	15.5	17		
15.6	to	16.4	18		
16.5	to	17.3	19		
17.4 18.3	to to	18.2 19.1	20 21		
19.2	to	20.0	22		
20.1	to	20.9	23		
21.0	to	21.7	24		
21.8	to	22.6	25 26		
22.7 23.6	to to	23.5 24.4	26 27		
24.5	to	25.3	28		
25.4	to	26.2	29		
26.3	to	27.1	30		
27.2 28.1	to	28.0 28.9	31		
29.0	to to	26.9 29.8	32 33		
29.9	to	30.6	34		
30.7	to	31.5	35		
31.6	to	32.4	36		
32.5 33.4	to	33.3 34.2	37 38		
33. 4 34.3	to to	3 4 .2 35.1	36 39		
35.2	to	36.0	40		
36.1	to	36.9	41		
37.0	to	37.8	42		
37.9 38.8	to to	38.7 39.5	43 44		
39.6	to	40.4	45		

	SLOPE 128				
	ACT(COURSE HANDICAP		
+3.5 +3.0 +2.2 +1.3 +0.4 0.5 1.4 2.3 3.1 4.0 4.9 5.8 6.7 7.6 8.4 9.3 10.2 11.1 12.0 12.9 13.7 14.6 15.5 16.4 17.3 18.1 19.0 19.9 20.8 21.7 22.6 23.4 24.3 25.2 26.1 27.0 27.9 28.7 29.6 30.5 31.4 31.4 31.4 31.4 31.4 31.6 31.6 31.6 31.6 31.6 31.6 31.6 31.6	to t	+3.1 +2.3 +1.4 +0.5 0.4 1.3 2.2 3.0 3.9 4.8 5.7 6.6 7.5 8.3 9.2 10.1 11.0 11.9 12.8 13.6 14.5 15.4 16.3 17.2 18.0 18.9 19.8 20.7 21.6 22.5 23.3 24.2 25.1 26.0 26.9 27.8 28.6 29.5 30.4 31.3 31.3 31.3 31.3 31.3 31.3 31.3 31	+4 +3 +2 +1 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 40 40 40 40 40 40 40 40 40 40 40 40		

HANDICAP COURSE FACTOR HANDICA	
	P
+3.5 to +3.1 +4 +3.0 to +2.2 +3 +2.1 to +1.4 +2 +1.3 to +0.5 +1 +0.4 to 0.4 0 0.5 to 1.3 1 1.4 to 2.1 2 2.2 to 3.0 3 3.1 to 3.9 4 4.0 to 4.8 5 4.9 to 5.6 6 5.7 to 6.5 7 6.6 to 7.4 8 7.5 to 8.3 9 8.4 to 9.1 10 9.2 to 10.0 11 10.1 to 10.9 12 11.0 to 11.8 13 11.9 to 12.7 14 12.8 to 13.5 15 13.6 to 14.4 16 14.5 to 15.3 17 15.4 to 16.2 18 16.3 to 17.0 19 17.1 to 17.9 20 18.0 to 18.8 21 18.9 to 19.7 22 19.8 to 20.5 23 20.6 to 21.4 24 21.5 to 22.3 25 22.4 to 23.2 26 23.3 to 24.0 27 24.1 to 24.9 28 25.0 to 25.8 29 25.9 to 26.7 30 26.8 to 27.5 31 27.6 to 28.4 32 28.5 to 29.3 33 32.9 to 33.7 38 33.8 to 34.6 39 34.7 to 35.4 40 35.5 to 36.3 31.1 36.4 to 37.2 42 37.3 to 38.1 38.2 38.2 to 38.9	

SLOPE 130				
HANDICAP FACTOR			COURSE HANDICAP	
+3.5 +3.0 +2.1 +1.3 +0.4 0.5 1.4 2.2 3.1 4.0 4.8 5.7 6.6 7.4 8.3 9.2 10.0 11.8 12.7 13.5 14.4 15.3 16.1 17.0 17.0 20.5 21.3 22.2 23.1 24.0 24.8 25.7 26.6 27.4 28.3 29.2 30.0 30.9 31.8 32.9 25.7 26.6 33.1 36.1 37.0 37.0 37.0 37.0 37.0 37.0 37.0 37.0	to t	+3.1 +2.2 +1.4 +0.5 0.4 1.3 2.1 3.9 4.7 5.6 6.5 7.3 8.2 9.1 9.9 10.8 11.7 12.6 13.4 14.3 15.2 16.0 16.9 17.8 18.6 19.5 20.4 21.2 22.1 23.0 23.9 24.7 25.6 26.5 27.3 28.2 29.1 29.9 30.8 31.7 31.0 31.0 31.0 31.0 31.0 31.0 31.0 31.0	+4 +3 +2 +1 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 44 44 44 44 44 44 44 44 44 44 44	

SLOPE 131				
HANDICAP FACTOR			COURSE HANDICAP	
+3.5 +3.0	to to	+3.1 +2.2	+4 +3	
+2.1	to	+1.3	+2	
+1.2	to	+0.5	+1	
+0.4 0.5	to to	0.4 1.2	0 1	
1.3	to	2.1	2	
2.2	to	3.0	3	
3.1 3.9	to to	3.8 4.7	4 5	
4.8	to	5.6	6	
5.7	to	6.4	7	
6.5	to	7.3	8	
7.4 8.2	to to	8.1 9.0	9 10	
9.1	to	9.9	11	
10.0	to	10.7	12	
10.8	to	11.6	13	
11.7 12.6	to to	12.5 13.3	14 15	
13.4	to	14.2	16	
14.3	to	15.0	17	
15.1 16.0	to to	15.9 16.8	18 19	
16.0	to	17.6	20	
17.7	to	18.5	21	
18.6	to	19.4	22	
19.5 20.3	to to	20.2 21.1	23 24	
21.2	to	21.1	25	
22.0	to	22.8	26	
22.9 23.8	to	23.7	27	
23.8 24.6	to to	24.5 25.4	28 29	
25.5	to	26.3	30	
26.4	to	27.1	31	
27.2 28.1	to to	28.0 28.8	32 33	
28.9	to	29.7	34	
29.8	to	30.6	35	
30.7	to	31.4	36	
31.5 32.4	to to	32.3 33.2	37 38	
33.3	to	34.0	39	
34.1	to	34.9	40	
35.0	to	35.7 36.6	41 42	
35.8 36.7	to to	36.6 37.5	42 43	
37.6	to	38.3	44	
38.4	to	39.2	45	
39.3 40.2	to to	40.1 40.4	46 47	

SLOPE 133				
	ANDI ACTO		COURSE HANDICAP	
+3.5 +2.9 +2.1 +1.2 +0.4 0.5 1.3 2.2 3.0 3.9 4.7 5.6 6.4 7.3 8.1 9.0 9.8 10.7 11.5 12.4 13.2 14.1 14.9 15.8 16.6 17.5 18.3 20.0 20.9 21.7 22.6 23.4 24.3 25.1 26.0 26.8 27.7 28.5 29.4 31.9 31.9 31.9 31.9 31.9 31.9 31.9 31.9	to t	+3.0 +2.2 +1.3 +0.5 0.4 1.2 2.1 2.9 3.8 4.6 5.5 6.3 7.2 8.0 8.9 9.7 10.6 11.4 12.3 13.1 14.0 14.8 15.7 16.5 17.4 18.2 19.1 19.9 20.8 21.6 22.5 23.3 24.2 25.0 25.9 26.7 27.6 28.4 29.3 30.1 31.0 31.0 31.0 31.0 31.0 31.0 31	+4 +3 +2 +1 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 44 45 46 47 48 48 49 40 40 40 40 40 40 40 40 40 40 40 40 40	

SLOPE 134				
HANDICAP			COURSE	
FACTOR			HANDICAP	
+3.5	to	+3.0	+4	
+2.9	to	+2.2	+3	
+2.1	to	+1.3	+2	
+1.2	to	+0.5	+1	
+0.4	to	0.4	0	
0.5	to	1.2	1 2	
1.3	to	2.1		
2.2	to	2.9	3	
3.0	to	3.7	4	
3.8	to	4.6	5	
4.7	to	5.4	6	
5.5	to	6.3	7	
6.4	to	7.1	8	
7.2	to	8.0	9	
8.1	to	8.8	10	
8.9	to	9.6	11	
9.7	to	10.5	12	
10.6	to	11.3	13	
11.4	to	12.2	14	
12.3	to	13.0	15	
13.1	to	13.9	16	
14.0	to	14.7	17	
14.8	to	15.6	18	
15.7	to	16.4	19	
16.5	to	17.2	20	
17.3	to	18.1	20	
18.2	to	18.9	22	
19.0	to	19.8	23	
19.9	to	20.6	24	
20.7	to	21.5	25	
21.6	to	22.3	26	
22.4	to	23.1	27	
23.2	to	24.0	28	
24.1	to	24.8	29	
24.9	to	25.7	30	
25.8	to	26.5	31	
26.6	to	27.4	32	
27.5	to	28.2	33	
28.3	to	29.0	34	
29.1	to	29.9	35	
30.0	to	30.7	36	
30.8	to	31.6	37	
31.7	to	32.4	38	
32.5	to	33.3	39	
33.4	to	34.1	40	
34.2	to	34.9	41	
35.0	to	35.8	42	
35.9	to	36.6	43	
36.7	to	37.5	44	
37.6	to	38.3	45	
38.4	to	36.3 39.2	46	
39.3	to	40.0	47	
40.1		40.4	48	
4 0.1	to	40.4	40	

SLOPE 135				
	ANDI ACT		COURSE HANDICAP	
+3.5 +2.9 +2.0 +1.2 +0.4 0.5 1.3 2.1 3.8 4.7 5.5 6.3 7.2 8.8 9.7 10.5 11.3 12.2 13.0 13.9 14.7 15.5 16.4 17.2 23.1 20.6 21.4 22.2 23.1 24.7 25.6 26.4 27.3 28.9 38.9 39.6 31.4 32.9 33.9 38.9 39.9 39.9 39.9 39.9 39.9 39	to t	+3.0 +2.1 +1.3 +0.5 0.4 1.2 2.0 2.9 3.7 4.6 5.4 6.2 7.1 7.9 8.7 9.6 10.4 11.2 12.1 12.9 13.8 14.6 15.4 16.3 17.1 17.9 18.8 19.6 20.5 21.3 22.1 23.0 23.8 24.6 25.5 26.3 27.2 28.8 29.7 30.8 31.7 30.8 30.8 30.8 30.8 30.8 30.8 30.8 30.8	+4 +3 +2 +1 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 44 45 46 46 47 48 48 48 49 49 40 40 40 40 40 40 40 40 40 40 40 40 40	

SLOPE 136				
	ANDI ACT		COURSE HANDICAP	
+3.5 +2.9 +2.0 +1.2 +0.4 0.5 1.3 2.1 3.0 3.8 4.6 5.5 6.3 7.1 7.9 8.8 9.6 10.4 11.3 12.1 12.9 13.8 14.6 15.4 16.3 17.1 17.9 22.1 22.9 23.7 24.6 25.4 26.2 27.1 27.9 28.7 29.3 31.2 32.9 33.7 34.5 35.4 36.3 37.9 38.7 37.9 38.7 37.9 38.7 37.9 38.7 37.9 38.7 37.9 37.9 37.9 37.9 37.9 37.9 37.9 37	to t	+3.0 +2.1 +1.3 +0.5 0.4 1.2 2.0 2.9 3.7 4.5 5.4 6.2 7.0 7.8 8.7 9.5 10.3 11.2 12.0 12.8 13.7 14.5 15.3 16.2 17.0 17.8 18.6 19.5 20.3 21.1 22.0 22.8 23.6 24.5 25.3 26.1 27.0 27.8 28.6 29.4 30.3 31.1 31.9 32.8 33.6 34.4 35.3 36.9 37.8 38.6 39.4 40.2 40.4	+4 +3 +2 +1 0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 40 40 40 40 40 40 40 40 40 40 40 40	

			SLOP	E 137	
	NDI ACT(CAP OR	COURSE HANDICAP	HANDICAP FACTOR	COURSE HANDICAP
+3.5	to	+2.9	+4	18.6 to 19.3	23
+2.8	to	+2.1	+3	19.4 to 20.2	24
+2.0	to	+1.3	+2	20.3 to 21.0	25
+1.2	to	+0.5	+1	21.1 to 21.8	26
+0.4	to	0.4	0	21.9 to 22.6	27
0.5	to	1.2	1	22.7 to 23.5	28
1.3	to	2.0	2	23.6 to 24.3	29
2.1	to	2.8	3	24.4 to 25.1	30
2.9	to	3.7	4	25.2 to 25.9	31
3.8	to	4.5	5	26.0 to 26.8	32
4.6	to	5.3	6	26.9 to 27.6	33
5.4	to	6.1	7	27.7 to 28.4	34
6.2	to	7.0	8	28.5 to 29.2	35
7.1	to	7.8	9	29.3 to 30.1	36
7.9	to	8.6	10	30.2 to 30.9	37
8.7	to	9.4	11	31.0 to 31.7	38
9.5	to	10.3	12	31.8 to 32.5	39
10.4	to	11.1	13	32.6 to 33.4	40
11.2	to	11.9	14	33.5 to 34.2	41
12.0	to	12.7	15	34.3 to 35.0	42
12.8	to	13.6	16	35.1 to 35.8	43
13.7	to	14.4	17	35.9 to 36.7	44
14.5	to	15.2	18	36.8 to 37.5	45
15.3	to	16.0	19	37.6 to 38.3	46
16.1	to	16.9	20	38.4 to 39.1	47
17.0	to	17.7	21	39.2 to 40.0	48
17.8	to	18.5	22	40.1 to 40.4	49

	SLOPE 138							
	NDI ACT(COURSE HANDICAP	HANDICAP FACTOR		COURSE HANDICAP		
+3.5	to	+2.9	+4	18.5	to	19.2	23	
+2.8	to	+2.1	+3	19.3	to	20.0	24	
+2.0	to	+1.3	+2	20.1	to	20.8	25	
+1.2	to	+0.5	+1	20.9	to	21.6	26	
+0.4	to	0.4	0	21.7	to	22.5	27	
0.5	to	1.2	1	22.6	to	23.3	28	
1.3	to	2.0	2	23.4	to	24.1	29	
2.1	to	2.8	3	24.2	to	24.9	30	
2.9	to	3.6	4	25.0	to	25.7	31	
3.7	to	4.5	5	25.8	to	26.6	32	
4.6	to	5.3	6	26.7	to	27.4	33	
5.4	to	6.1	7	27.5	to	28.2	34	
6.2	to	6.9	8	28.3	to	29.0	35	
7.0	to	7.7	9	29.1	to	29.8	36	
7.8	to	8.5	10	29.9	to	30.7	37	
8.6	to	9.4	11	30.8	to	31.5	38	
9.5	to	10.2	12	31.6	to	32.3	39	
10.3	to	11.0	13	32.4	to	33.1	40	
11.1	to	11.8	14	33.2	to	33.9	41	
11.9	to	12.6	15	34.0	to	34.8	42	
12.7	to	13.5	16	34.9	to	35.6	43	
13.6	to	14.3	17	35.7	to	36.4	44	
14.4	to	15.1	18	36.5	to	37.2	45	
15.2	to	15.9	19	37.3	to	38.0	46	
16.0	to	16.7	20	38.1	to	38.8	47	
16.8	to	17.6	21	38.9	to	39.7	48	
17.7	to	18.4	22	39.8	to	40.4	49	

			SLOP	E 139			SLOPE 139							
	NDI ACT(COURSE HANDICAP	HANDICAP FACTOR			COURSE HANDICAP							
+3.5	to	+2.9	+4	19.2	to	19.9	24							
+2.8	to	+2.1	+3	20.0	to	20.7	25							
+2.0	to	+1.3	+2	20.8	to	21.5	26							
+1.2	to	+0.5	+1	21.6	to	22.3	27							
+0.4	to	0.4	0	22.4	to	23.1	28							
0.5	to	1.2	1	23.2	to	23.9	29							
1.3	to	2.0	2	24.0	to	24.7	30							
2.1	to	2.8	3	24.8	to	25.6	31							
2.9	to	3.6	4	25.7	to	26.4	32							
3.7	to	4.4	5	26.5	to	27.2	33							
4.5	to	5.2	6	27.3	to	28.0	34							
5.3	to	6.0	7	28.1	to	28.8	35							
6.1	to	6.9	8	28.9	to	29.6	36							
7.0	to	7.7	9	29.7	to	30.4	37							
7.8	to	8.5	10	30.5	to	31.2	38							
8.6	to	9.3	11	31.3	to	32.1	39							
9.4	to	10.1	12	32.2	to	32.9	40							
10.2	to	10.9	13	33.0	to	33.7	41							
11.0	to	11.7	14	33.8	to	34.5	42							
11.8	to	12.6	15	34.6	to	35.3	43							
12.7	to	13.4	16	35.4	to	36.1	44							
13.5	to	14.2	17	36.2	to	36.9	45							
14.3	to	15.0	18	37.0	to	37.8	46							
15.1	to	15.8	19	37.9	to	38.6	47							
15.9	to	16.6	20	38.7	to	39.4	48							
16.7	to	17.4	21	39.5	to	40.2	49							
17.5	to	18.2	22	40.3	to	40.4	50							
18.3	to	19.1	23											

	SLOPE 140						
	AND ACT	ICAP OR	COURSE HANDICAP	HANDICAP FACTOR			COURSE HANDICAP
+3.5	to	+2.9	+4	19.0	to	19.7	24
+2.8	to	+2.1	+3	19.8	to	20.5	25
+2.0	to	+1.3	+2	20.6	to	21.3	26
+1.2	to	+0.5	+1	21.4	to	22.1	27
+0.4	to	0.4	0	22.2	to	23.0	28
0.5	to	1.2	1	23.1	to	23.8	29
1.3	to	2.0	2	23.9	to	24.6	30
2.1	to	2.8	3	24.7	to	25.4	31
2.9	to	3.6	4	25.5	to	26.2	32
3.7	to	4.4	5	26.3	to	27.0	33
4.5	to	5.2	6	27.1	to	27.8	34
5.3	to	6.0	7	27.9	to	28.6	35
6.1	to	6.8	8	28.7	to	29.4	36
6.9	to	7.6	9	29.5	to	30.2	37
7.7	to	8.4	10	30.3	to	31.0	38
8.5	to	9.2	11	31.1	to	31.8	39
9.3	to	10.0	12	31.9	to	32.6	40
10.1	to	10.8	13	32.7	to	33.4	41
10.9	to	11.7	14	33.5	to	34.3	42
11.8	to	12.5	15	34.4	to	35.1	43
12.6	to	13.3	16	35.2	to	35.9	44
13.4	to	14.1	17	36.0	to	36.7	45
14.2	to	14.9	18	36.8	to	37.5	46
15.0	to	15.7	19	37.6	to	38.3	47
15.8	to	16.5	20	38.4	to	39.1	48
16.6	to	17.3	21	39.2	to	39.9	49
17.4	to	18.1	22	40.0	to	40.4	50
18.2	to	18.9	23				

	SLOPE 141							
	NDI ACT(CAP OR	COURSE HANDICAP	HANDICAP FACTOR	COURSE HANDICAP			
+3.5	to	+2.9	+4	18.9 to 19.6	24			
+2.8	to	+2.1	+3	19.7 to 20.4	25			
+2.0	to	+1.3	+2	20.5 to 21.2	26			
+1.2	to	+0.5	+1	21.3 to 22.0	27			
+0.4	to	0.4	0	22.1 to 22.8	28			
0.5	to	1.2	1	22.9 to 23.6	29			
1.3	to	2.0	2	23.7 to 24.4	30			
2.1	to	2.8	3	24.5 to 25.2	31			
2.9	to	3.6	4	25.3 to 26.0	32			
3.7	to	4.4	5	26.1 to 26.8	33			
4.5	to	5.2	6	26.9 to 27.6	34			
5.3	to	6.0	7	27.7 to 28.4	35			
6.1	to	6.8	8	28.5 to 29.2	36			
6.9	to	7.6	9	29.3 to 30.0	37			
7.7	to	8.4	10	30.1 to 30.8	38			
8.5	to	9.2	11	30.9 to 31.6	39			
9.3	to	10.0	12	31.7 to 32.4	40			
10.1	to	10.8	13	32.5 to 33.2	41			
10.9	to	11.6	14	33.3 to 34.0	42			
11.7	to	12.4	15	34.1 to 34.8	43			
12.5	to	13.2	16	34.9 to 35.6	44			
13.3	to	14.0	17	35.7 to 36.4	45			
14.1	to	14.8	18	36.5 to 37.2	46			
14.9	to	15.6	19	37.3 to 38.0	47			
15.7	to	16.4	20	38.1 to 38.8	48			
16.5	to	17.2	21	38.9 to 39.6	49			
17.3	to	18.0	22	39.7 to 40.4	50			
18.1	to	18.8	23					
	-		-					

	SLOPE 142							
	DICAP TOR	COURSE HANDICAP	HANDICAP FACTOR	COURSE HANDICAP				
+3.5 to	o +2.8	+4	18.8 to 19.4	24				
+2.7 to	o +2.0	+3	19.5 to 20.2	25				
+1.9 to	o +1.2	+2	20.3 to 21.0	26				
+1.1 to	0.4	+1	21.1 to 21.8	27				
+0.3 to	o 0.3	0	21.9 to 22.6	28				
0.4 to	o 1.1	1	22.7 to 23.4	29				
1.2 to	o 1.9	2	23.5 to 24.2	30				
2.0 to	2.7	3	24.3 to 25.0	31				
2.8 to	3.5	4	25.1 to 25.8	32				
3.6 to	o 4.3	5	25.9 to 26.6	33				
4.4 to	5.1	6	26.7 to 27.4	34				
5.2 to	5.9	7	27.5 to 28.2	35				
6.0 to	6.7	8	28.3 to 29.0	36				
6.8 to	o 7.5	9	29.1 to 29.8	37				
7.6 to	o 8.3	10	29.9 to 30.6	38				
8.4 to	9.1	11	30.7 to 31.4	39				
9.2 to	9.9	12	31.5 to 32.2	40				
10.0 to	o 10.7	13	32.3 to 33.0	41				
10.8 to	o 11.5	14	33.1 to 33.8	42				
11.6 to	o 12.3	15	33.9 to 34.6	43				
12.4 to	o 13.1	16	34.7 to 35.4	44				
13.2 to	o 13.9	17	35.5 to 36.2	45				
14.0 to	o 14.7	18	36.3 to 37.0	46				
14.8 to	o 15.5	19	37.1 to 37.7	47				
15.6 to	o 16.3	20	37.8 to 38.5	48				
16.4 to	o 17.1	21	38.6 to 39.3	49				
17.2 to	o 17.9	22	39.4 to 40.1	50				
18.0 to	o 18.7	23	40.2 to 40.4	51				

		SLOP	SLOPE 143							
	NDICAP CTOR	COURSE HANDICAP	HANDICAP FACTOR	COURSE HANDICAP						
+3.5	to +2.8	+4	18.6 to 19.3	24						
+2.7	to +2.0	+3	19.4 to 20.1	25						
+1.9	to +1.2	+2	20.2 to 20.9	26						
+1.1	to +0.4	+1	21.0 to 21.7	27						
+0.3	to 0.3	0	21.8 to 22.5	28						
0.4	to 1.1	1	22.6 to 23.3	29						
1.2	to 1.9	2	23.4 to 24.1	30						
2.0	to 2.7	3	24.2 to 24.8	31						
2.8	to 3.5	4	24.9 to 25.6	32						
3.6	to 4.3	5	25.7 to 26.4	33						
4.4	to 5.1	6	26.5 to 27.2	34						
5.2	to 5.9	7	27.3 to 28.0	35						
6.0	to 6.7	8	28.1 to 28.8	36						
6.8	to 7.5	9	28.9 to 29.6	37						
7.6	to 8.2	10	29.7 to 30.4	38						
8.3	to 9.0	11	30.5 to 31.2	39						
9.1	to 9.8	12	31.3 to 32.0	40						
9.9	to 10.6	13	32.1 to 32.7	41						
10.7	to 11.4	14	32.8 to 33.5	42						
11.5	to 12.2	15	33.6 to 34.3	43						
12.3	to 13.0	16	34.4 to 35.1	44						
13.1	to 13.8	17	35.2 to 35.9	45						
13.9	to 14.6	18	36.0 to 36.7	46						
14.7	to 15.4	19	36.8 to 37.5	47						
15.5	to 16.1	20	37.6 to 38.3	48						
16.2	to 16.9	21	38.4 to 39.1	49						
17.0	to 17.7	22	39.2 to 39.9	50						
17.8	to 18.5	23	40.0 to 40.4	51						

	SLOPE 144							
HAND FACT		COURSE HANDICAP	HANDI FACTO		COURSE HANDICAP			
+3.5 to	+2.8	+4	18.5 to	19.2	24			
+2.7 to	+2.0	+3	19.3 to	20.0	25			
+1.9 to	+1.2	+2	20.1 to	20.7	26			
+1.1 to	+0.4	+1	20.8 to	21.5	27			
+0.3 to	0.3	0	21.6 to	22.3	28			
0.4 to	1.1	1	22.4 to	23.1	29			
1.2 to	1.9	2	23.2 to	23.9	30			
2.0 to	2.7	3	24.0 to	24.7	31			
2.8 to	3.5	4	24.8 to	25.5	32			
3.6 to	4.3	5	25.6 to	26.2	33			
4.4 to	5.1	6	26.3 to	27.0	34			
5.2 to	5.8	7	27.1 to	27.8	35			
5.9 to	6.6	8	27.9 to	28.6	36			
6.7 to	7.4	9	28.7 to	29.4	37			
7.5 to	8.2	10	29.5 to	30.2	38			
8.3 to	9.0	11	30.3 to	30.9	39			
9.1 to	9.8	12	31.0 to	31.7	40			
9.9 to	10.5	13	31.8 to	32.5	41			
10.6 to	11.3	14	32.6 to	33.3	42			
11.4 to	12.1	15	33.4 to	34.1	43			
12.2 to	12.9	16	34.2 to	34.9	44			
13.0 to	13.7	17	35.0 to	35.7	45			
13.8 to	14.5	18	35.8 to	36.4	46			
14.6 to	15.3	19	36.5 to	37.2	47			
15.4 to	16.0	20	37.3 to	38.0	48			
16.1 to	16.8	21	38.1 to	38.8	49			
16.9 to	17.6	22	38.9 to	39.6	50			
17.7 to	18.4	23	39.7 to	40.4	51			

	SLOPE 145							
HAND FACT		COURSE HANDICAP	HANDICAP FACTOR	COURSE HANDICAP				
+3.5 to	+2.8	+4	19.1 to 19.8	25				
+2.7 to	+2.0	+3	19.9 to 20.6	26				
+1.9 to	+1.2	+2	20.7 to 21.4	27				
+1.1 to	+0.4	+1	21.5 to 22.2	28				
+0.3 to	0.3	0	22.3 to 22.9.	29				
0.4 to	1.1	1	23.0 to 23.7	30				
1.2 to	1.9	2	23.8 to 24.5	31				
2.0 to	2.7	3	24.6 to 25.3	32				
2.8 to	3.5	4	25.4 to 26.1	33				
3.6 to	4.2	5	26.2 to 26.8	34				
4.3 to	5.0	6	26.9 to 27.6	35				
5.1 to	5.8	7	27.7 to 28.4	36				
5.9 to	6.6	8	28.5 to 29.2	37				
6.7 to	7.4	9	29.3 to 30.0	38				
7.5 to	8.1	10	30.1 to 30.7	39				
8.2 to	8.9	11	30.8 to 31.5	40				
9.0 to	9.7	12	31.6 to 32.3	41				
9.8 to	10.5	13	32.4 to 33.1	42				
10.6 to	11.2	14	33.2 to 33.8	43				
11.3 to	12.0	15	33.9 to 34.6	44				
12.1 to	12.8	16	34.7 to 35.4	45				
12.9 to	13.6	17	35.5 to 36.2	46				
13.7 to	14.4	18	36.3 to 37.0	47				
14.5 to	15.1	19	37.1 to 37.7	48				
15.2 to	15.9	20	37.8 to 38.5	49				
16.0 to	16.7	21	38.6 to 39.3	50				
16.8 to	17.5	22	39.4 to 40.1	51				
17.6 to		23	40.2 to 40.4	52				
18.4 to	19.0	24						

	SLOPE 146							
HAND FACT		COURSE HANDICAP	HANDICAP FACTOR	COURSE HANDICAP				
+3.5 to	+3.5	+5	18.2 to 18.9	24				
+3.4 to	+2.8	+4	19.0 to 19.7	25				
+2.7 to	+2.0	+3	19.8 to 20.5	26				
+1.9 to	+1.2	+2	20.6 to 21.2	27				
+1.1 to	+0.4	+1	21.3 to 22.0	28				
+0.3 to	0.3	0	22.1 to 22.8	29				
0.4 to	1.1	1	22.9 to 23.6	30				
1.2 to	1.9	2	23.7 to 24.3	31				
2.0 to	2.7	3	24.4 to 25.1	32				
2.8 to	3.4	4	25.2 to 25.9	33				
3.5 to	4.2	5	26.0 to 26.7	34				
4.3 to	5.0	6	26.8 to 27.4	35				
5.1 to	5.8	7	27.5 to 28.2	36				
5.9 to	6.5	8	28.3 to 29.0	37				
6.6 to	7.3	9	29.1 to 29.7	38				
7.4 to	8.1	10	29.8 to 30.5	39				
8.2 to	8.9	11	30.6 to 31.3	40				
9.0 to	9.6	12	31.4 to 32.1	41				
9.7 to	10.4	13	32.2 to 32.8	42				
10.5 to	11.2	14	32.9 to 33.6	43				
11.3 to	11.9	15	33.7 to 34.4	44				
12.0 to	12.7	16	34.5 to 35.2	45				
12.8 to	13.5	17	35.3 to 35.9	46				
13.6 to	14.3	18	36.0 to 36.7	47				
14.4 to	15.0	19	36.8 to 37.5	48				
15.1 to	15.8	20	37.6 to 38.3	49				
15.9 to	16.6	21	38.4 to 39.0	50				
16.7 to	17.4	22	39.1 to 39.8	51				
17.5 to	18.1	23	39.9 to 40.4	52				

	SLOPE 147							
HANDI FACT		COURSE HANDICAP	HANDICAP FACTOR	COURSE HANDICAP				
+3.5 to	+3.5	+5	18.9 to 19.6	25				
+3.4 to	+2.7	+4	19.7 to 20.3	26				
+2.6 to	+2.0	+3	20.4 to 21.1	27				
+1.9 to	+1.2	+2	21.2 to 21.9	28				
+1.1 to	+0.4	+1	22.0 to 22.6	29				
+0.3 to	0.3	0	22.7 to 23.4	30				
0.4 to	1.1	1	23.5 to 24.2	31				
1.2 to	1.9	2	24.3 to 24.9	32				
2.0 to	2.6	3	25.0 to 25.7	33				
2.7 to	3.4	4	25.8 to 26.5	34				
3.5 to	4.2	5	26.6 to 27.2	35				
4.3 to	4.9	6	27.3 to 28.0	36				
5.0 to	5.7	7	28.1 to 28.8	37				
5.8 to	6.5	8	28.9 to 29.5	38				
6.6 to	7.3	9	29.6 to 30.3	39				
7.4 to	8.0	10	30.4 to 31.1	40				
8.1 to	8.8	11	31.2 to 31.9	41				
8.9 to	9.6	12	32.0 to 32.6	42				
9.7 to	10.3	13	32.7 to 33.4	43				
10.4 to	11.1	14	33.5 to 34.2	44				
11.2 to	11.9	15	34.3 to 34.9	45				
12.0 to	12.6	16	35.0 to 35.7	46				
12.7 to	13.4	17	35.8 to 36.5	47				
13.5 to	14.2	18	36.6 to 37.2	48				
14.3 to	14.9	19	37.3 to 38.0	49				
15.0 to	15.7	20	38.1 to 38.8	50				
15.8 to	16.5	21	38.9 to 39.5	51				
16.6 to	17.2	22	39.6 to 40.3	52				
17.3 to	18.0	23	40.4 to 40.4	53				
18.1 to	18.8	24						

SLOPE 148							
HANDICAP FACTOR	COURSE HANDICAP	HANDICAP FACTOR	COURSE HANDICAP				
+3.5 to +3.5	+5	18.8 to 19.4	25				
+3.4 to +2.7	+4	19.5 to 20.2	26				
+2.6 to +2.0	+3	20.3 to 20.9	27				
+1.9 to +1.2	+2	21.0 to 21.7	28				
+1.1 to +0.4	+1	21.8 to 22.5	29				
+0.3 to 0.3	0	22.6 to 23.2	30				
0.4 to 1.1	1	23.3 to 24.0	31				
1.2 to 1.9	2	24.1 to 24.8	32				
2.0 to 2.6	3	24.9 to 25.5	33				
2.7 to 3.4	4	25.6 to 26.3	34				
3.5 to 4.1	5	26.4 to 27.1	35				
4.2 to 4.9	6	27.2 to 27.8	36				
5.0 to 5.7	7	27.9 to 28.6	37				
5.8 to 6.4	8	28.7 to 29.3	38				
6.5 to 7.2	9	29.4 to 30.1	39				
7.3 to 8.0	10	30.2 to 30.9	40				
8.1 to 8.7	11	31.0 to 31.6	41				
8.8 to 9.5	12	31.7 to 32.4	42				
9.6 to 10.3	13	32.5 to 33.2	43				
10.4 to 11.0	14	33.3 to 33.9	44				
11.1 to 11.8	15	34.0 to 34.7	45				
11.9 to 12.5	16	34.8 to 35.5	46				
12.6 to 13.3	17	35.6 to 36.2	47				
13.4 to 14.1	18	36.3 to 37.0	48				
14.2 to 14.8	19	37.1 to 37.7	49				
14.9 to 15.6	20	37.8 to 38.5	50				
15.7 to 16.4	21	38.6 to 39.3	51				
16.5 to 17.1	22	39.4 to 40.0	52				
17.2 to 17.9	23	40.1 to 40.4	53				
18.0 to 18.7	24						

SLOPE 149				
HANDICAP FACTOR	COURSE HANDICAP	HANDICAP FACTOR	COURSE HANDICAP	
+3.5 to +3.5	+5	18.6 to 19.3	25	
+3.4 to +2.7	+4	19.4 to 20.0	26	
+2.6 to +1.9	+3	20.1 to 20.8	27	
+1.8 to +1.2	+2	20.9 to 21.6	28	
+1.1 to +0.4	+1	21.7 to 22.3	29	
+0.3 to 0.3	0	22.4 to 23.1	30	
0.4 to 1.1	1	23.2 to 23.8	31	
1.2 to 1.8	2	23.9 to 24.6	32	
1.9 to 2.6	3	24.7 to 25.4	33	
2.7 to 3.4	4	25.5 to 26.1	34	
3.5 to 4.1	5	26.2 to 26.9	35	
4.2 to 4.9	6	27.0 to 27.6	36	
5.0 to 5.6	7	27.7 to 28.4	37	
5.7 to 6.4	8	28.5 to 29.1	38	
6.5 to 7.2	9	29.2 to 29.9	39	
7.3 to 7.9	10	30.0 to 30.7	40	
8.0 to 8.7	11	30.8 to 31.4	41	
8.8 to 9.4	12	31.5 to 32.2	42	
9.5 to 10.2	13	32.3 to 32.9	43	
10.3 to 10.9	14	33.0 to 33.7	44	
11.0 to 11.7	15	33.8 to 34.5	45	
11.8 to 12.5	16	34.6 to 35.2	46	
12.6 to 13.2	17	35.3 to 36.0	47	
13.3 to 14.0	18	36.1 to 36.7	48	
14.1 to 14.7	19	36.8 to 37.5	49	
14.8 to 15.5	20	37.6 to 38.2	50	
15.6 to 16.3	21	38.3 to 39.0	51	
16.4 to 17.0	22	39.1 to 39.8	52	
17.1 to 17.8	23	39.9 to 40.4	53	
17.9 to 18.5	24			

SLOPE 150					
HAND FACT		COURSE HANDICAP	HANDICAP FACTOR	COURSE HANDICAP	
+3.5 to	+3.4	+5	18.5 to 19.2	25	
+3.3 to	+2.7	+4	19.3 to 19.9	26	
+2.6 to	+1.9	+3	20.0 to 20.7	27	
+1.8 to	+1.2	+2	20.8 to 21.4	28	
+1.1 to	+0.4	+1	21.5 to 22.2	29	
+0.3 to	0.3	0	22.3 to 22.9	30	
0.4 to	1.1	1	23.0 to 23.7	31	
1.2 to	1.8	2	23.8 to 24.4	32	
1.9 to	2.6	3	24.5 to 25.2	33	
2.7 to	3.3	4	25.3 to 25.9	34	
3.4 to	4.1	5	26.0 to 26.7	35	
4.2 to	4.8	6	26.8 to 27.4	36	
4.9 to	5.6	7	27.5 to 28.2	37	
5.7 to	6.4	8	28.3 to 29.0	38	
6.5 to	7.1	9	29.1 to 29.7	39	
7.2 to	7.9	10	29.8 to 30.5	40	
8.0 to	8.6	11	30.6 to 31.2	41	
8.7 to	9.4	12	31.3 to 32.0	42	
9.5 to	10.1	13	32.1 to 32.7	43	
10.2 to	10.9	14	32.8 to 33.5	44	
11.0 to	11.6	15	33.6 to 34.2	45	
11.7 to	12.4	16	34.3 to 35.0	46	
12.5 to	13.1	17	35.1 to 35.7	47	
13.2 to	13.9	18	35.8 to 36.5	48	
14.0 to	14.6	19	36.6 to 37.2	49	
14.7 to	15.4	20	37.3 to 38.0	50	
15.5 to	16.1	21	38.1 to 38.7	51	
16.2 to	16.9	22	38.8 to 39.5	52	
17.0 to	17.7	23	39.6 to 40.3	53	
17.8 to	18.4	24	40.4 to 40.4	54	

SLOPE 151				
	NDICAP CTOR	COURSE HANDICAP	HANDICAP FACTOR	COURSE HANDICAP
+3.5	to +3.	4 +5	18.4 to 19.0	25
+3.3	to +2.	7 +4	19.1 to 19.8	26
+2.6	to +1.	9 +3	19.9 to 20.5	27
+1.8	to +1.	2 +2	20.6 to 21.3	28
+1.1	to +0.	4 +1	21.4 to 22.0	29
+0.3	to 0.	3 0	22.1 to 22.8	30
0.4	to 1.	1 1	22.9 to 23.5	31
1.2	to 1.	8 2	23.6 to 24.3	32
1.9	to 2.	6 3	24.4 to 25.0	33
2.7	to 3.	3 4	25.1 to 25.8	34
3.4	to 4.	1 5	25.9 to 26.5	35
4.2	to 4.	8 6	26.6 to 27.3	36
4.9	to 5.	6 7	27.4 to 28.0	37
5.7	to 6.	3 8	28.1 to 28.8	38
6.4	to 7.	1 9	28.9 to 29.5	39
7.2	to 7.	8 10	29.6 to 30.3	40
7.9	to 8.	6 11	30.4 to 31.0	41
8.7	to 9.	3 12	31.1 to 31.8	42
9.4	to 10.	1 13	31.9 to 32.5	43
10.2	to 10.	8 14	32.6 to 33.3	44
10.9	to 11.	5 15	33.4 to 34.0	45
11.6	to 12.	3 16	34.1 to 34.7	46
12.4	to 13.	0 17	34.8 to 35.5	47
13.1	to 13.	8 18	35.6 to 36.2	48
13.9	to 14.	5 19	36.3 to 37.0	49
14.6	to 15.	3 20	37.1 to 37.7	50
15.4	to 16.	0 21	37.8 to 38.5	51
16.1	to 16.	8 22	38.6 to 39.2	52
16.9	to 17.	5 23	39.3 to 40.0	53
17.6	to 18.	3 24	40.1 to 40.4	54

SLOPE 152					
HAND FACT		COURSE HANDICAP	HANDIO FACTO		COURSE HANDICAP
+3.5 to	+3.4	+5	18.3 to	18.9	25
+3.3 to	+2.7	+4	19.0 to	19.7	26
+2.6 to	+1.9	+3	19.8 to	20.4	27
+1.8 to	+1.2	+2	20.5 to	21.1	28
+1.1 to	+0.4	+1	21.2 to	21.9	29
+0.3 to	0.3	0	22.0 to	22.6	30
0.4 to	1.1	1	22.7 to	23.4	31
1.2 to	1.8	2	23.5 to	24.1	32
1.9 to	2.6	3	24.2 to	24.9	33
2.7 to	3.3	4	25.0 to	25.6	34
3.4 to	4.0	5	25.7 to	26.3	35
4.1 to	4.8	6	26.4 to	27.1	36
4.9 to	5.5	7	27.2 to	27.8	37
5.6 to	6.3	8	27.9 to	28.6	38
6.4 to	7.0	9	28.7 to	29.3	39
7.1 to	7.8	10	29.4 to	30.1	40
7.9 to	8.5	11	30.2 to	30.8	41
8.6 to	9.2	12	30.9 to	31.5	42
9.3 to	10.0	13	31.6 to	32.3	43
10.1 to	10.7	14	32.4 to	33.0	44
10.8 to	11.5	15	33.1 to	33.8	45
11.6 to	12.2	16	33.9 to	34.5	46
12.3 to	13.0	17	34.6 to	35.3	47
13.1 to	13.7	18	35.4 to	36.0	48
13.8 to	14.4	19	36.1 to	36.7	49
14.5 to	15.2	20	36.8 to	37.5	50
15.3 to	15.9	21	37.6 to	38.2	51
16.0 to	16.7	22	38.3 to	39.0	52
16.8 to	17.4	23	39.1 to	39.7	53
17.5 to	18.2	24	39.8 to	40.4	54

SLOPE 153					
HANDICAP FACTOR		COURSE HANDICAP	HANDICAP FACTOR	COURSE HANDICAP	
+3.5 to	+3.4	+5	18.9 to 19.5	26	
+3.3 to	+2.6	+4	19.6 to 20.3	27	
+2.5 to	+1.9	+3	20.4 to 21.0	28	
+1.8 to	+1.2	+2	21.1 to 21.7	29	
+1.1 to	+0.4	+1	21.8 to 22.5	30	
+0.3 to	0.3	0	22.6 to 23.2	31	
0.4 to	1.1	1	23.3 to 24.0	32	
1.2 to	1.8	2	24.1 to 24.7	33	
1.9 to	2.5	3	24.8 to 25.4	34	
2.6 to	3.3	4	25.5 to 26.2	35	
3.4 to	4.0	5	26.3 to 26.9	36	
4.1 to	4.8	6	27.0 to 27.6	37	
4.9 to	5.5	7	27.7 to 28.4	38	
5.6 to	6.2	8	28.5 to 29.1	39	
6.3 to	7.0	9	29.2 to 29.9	40	
7.1 to	7.7	10	30.0 to 30.6	41	
7.8 to	8.4	11	30.7 to 31.3	42	
8.5 to	9.2	12	31.4 to 32.1	43	
9.3 to	9.9	13	32.2 to 32.8	44	
10.0 to	10.7	14	32.9 to 33.6	45	
10.8 to	11.4	15	33.7 to 34.3	46	
11.5 to	12.1	16	34.4 to 35.0	47	
12.2 to	12.9	17	35.1 to 35.8	48	
13.0 to	13.6	18	35.9 to 36.5	49	
13.7 to	14.4	19	36.6 to 37.2	50	
14.5 to	15.1	20	37.3 to 38.0	51	
15.2 to	15.8	21	38.1 to 38.7	52	
15.9 to	16.6	22	38.8 to 39.5	53	
16.7 to	17.3	23	39.6 to 40.2	54	
17.4 to	18.0	24	40.3 to 40.4	55	
18.1 to	18.8	25			

SLOPE 154					
HANDICAP FACTOR			COURSE HANDICAP		
+3.5 to +3.4	+5	18.8 to 19.4	26		
+3.3 to +2.6	+4	19.5 to 20.1	27		
+2.5 to +1.9	+3	20.2 to 20.9	28		
+1.8 to +1.2	+2	21.0 to 21.6	29		
+1.1 to +0.4	+1	21.7 to 22.3	30		
+0.3 to 0.3	0	22.4 to 23.1	31		
0.4 to 1.1	1	23.2 to 23.8	32		
1.2 to 1.8	2	23.9 to 24.5	33		
1.9 to 2.5	3	24.6 to 25.3	34		
2.6 to 3.3	4	25.4 to 26.0	35		
3.4 to 4.0	5	26.1 to 26.7	36		
4.1 to 4.7	6	26.8 to 27.5	37		
4.8 to 5.5	7	27.6 to 28.2	38		
5.6 to 6.2	8	28.3 to 28.9	39		
6.3 to 6.9	9	29.0 to 29.7	40		
7.0 to 7.7	10	29.8 to 30.4	41		
7.8 to 8.4	11	30.5 to 31.1	42		
8.5 to 9.1	12	31.2 to 31.9	43		
9.2 to 9.9	13	32.0 to 32.6	44		
10.0 to 10.6	14	32.7 to 33.3	45		
10.7 to 11.3	15	33.4 to 34.1	46		
11.4 to 12.1	16	34.2 to 34.8	47		
12.2 to 12.8	17	34.9 to 35.5	48		
12.9 to 13.5	18	35.6 to 36.3	49		
13.6 to 14.3	19	36.4 to 37.0	50		
14.4 to 15.0	20	37.1 to 37.7	51		
15.1 to 15.7	21	37.8 to 38.5	52		
15.8 to 16.5	22	38.6 to 39.2	53		
16.6 to 17.2	23	39.3 to 39.9	54		
17.3 to 17.9	24	40.0 to 40.4	55		
18.0 to 18.7	25				

SLOPE 155				
HANDIO FACTO		COURSE HANDICAP	HANDICAP FACTOR	COURSE HANDICAP
+3.5 to	+3.3	+5	18.6 to 19.3	26
+3.2 to	+2.6	+4	19.4 to 20.0	27
+2.5 to	+1.9	+3	20.1 to 20.7	28
+1.8 to	+1.1	+2	20.8 to 21.5	29
+1.0 to	+0.4	+1	21.6 to 22.2	30
+0.3 to	0.3	0	22.3 to 22.9	31
0.4 to	1.0	1	23.0 to 23.6	32
1.1 to	1.8	2	23.7 to 24.4	33
1.9 to	2.5	3	24.5 to 25.1	34
2.6 to	3.2	4	25.2 to 25.8	35
3.3 to	4.0	5	25.9 to 26.6	36
4.1 to	4.7	6	26.7 to 27.3	37
4.8 to	5.4	7	27.4 to 28.0	38
5.5 to	6.1	8	28.1 to 28.7	39
6.2 to	6.9	9	28.8 to 29.5	40
7.0 to	7.6	10	29.6 to 30.2	41
7.7 to	8.3	11	30.3 to 30.9	42
8.4 to	9.1	12	31.0 to 31.7	43
9.2 to	9.8	13	31.8 to 32.4	44
9.9 to	10.5	14	32.5 to 33.1	45
10.6 to	11.2	15	33.2 to 33.8	46
11.3 to	12.0	16	33.9 to 34.6	47
12.1 to	12.7	17	34.7 to 35.3	48
12.8 to	13.4	18	35.4 to 36.0	49
13.5 to	14.2	19	36.1 to 36.8	50
14.3 to	14.9	20	36.9 to 37.5	51
15.0 to	15.6	21	37.6 to 38.2	52
15.7 to	16.4	22	38.3 to 39.0	53
16.5 to	17.1	23	39.1 to 39.7	54
17.2 to	17.8	24	39.8 to 40.4	55
17.9 to	18.5	25		